बिड संख्या/Bid Number: GEM/2026/B/8179884

दिनांक /Dated: 10-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	01-12-2026 15:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	02-12-2026 15:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Education
विभाग का नाम/Department Name	Department Of Higher Education
संगठन का नाम/Organisation Name	Indian Institute Of Technology (iit)
कार्यालय का नाम/Office Name	Abv-iiitm Gwalior, Madhya Pradesh
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :hod.iiit.mpd@gembuyer.in Buyer Email id: anilg@iiitm.ac.in
कुल मात्रा/Total Quantity	2407

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	SITC of 40W Stereo active speaker , SITC of Cardioid Dynamic Wireless Lapel Microphone system , SITC of Cardioid Gooseneck Microphone with desk Stand , SITC of 75 inch Interactive Board , SITC of 43 inch Smart Display with 4K Resolution , SITC of Floor Mount for 75 inch IFP - Customized , SITC of 4K OPS i5 8GB 256GB Win11 or higher - Customized , SITC of Digital Smart Mixer with 6 x Mic Line inputs , SITC of Advanced 4x1 HDMI multi-view switcher , SITC of Control Processor with High-performance embedded with quad-core CPU , SITC of Control GUI on Secured OS , SITC of 10-Port Gigabit Smart Managed PoE Switch , SITC of 20X 4K Tracking PTZ Camera with 20x Digital and 20x Optical Zoom , SITC of 4k Professional Studio Camera with high-quality 4K recording , SITC of Umbrella Design Lantern Softbox for Photography Videography , SITC of 150W LED Video Light for Videography Photography , SITC of Green Screen Backdrop with Stand , SITC of Studio Teleprompter with 24 inch Monitor , SITC of Laptop i5 16 GB RAM 512 GB SSD Windows 11 Home , SITC of Workstation 32 inch display i9 32GB 1TB SSD 12 GB Graphics Card , SITC of Studio Headphone for Mixing and Monitoring , SITC of Professional live streaming and video production software for 3 year , SITC of Media Station with Video Sources Capturing, mixing, switching, etc. , SITC of Dual HDMI to USB-C UVC Video Capture with mixing and capturing , SITC of Ceiling Wall Mount for Camera , SITC of Cable, Connectors and Accessories , SITC of 5 KVA Online UPS with 10-15 min battery backup , SITC of Surge Protection Device for UPS , SITC of 10U Equipment Rack , SITC of HDMI Tx Rx , SITC of Integration and Programming , SITC of 2Ton Silent Split Air Conditioner , SITC of 1Ton Silent Split Air Conditioner , SITC of Polyester Fiber Sheet Acoustic Wall Panelling including window , SITC of Acoustic False Ceiling , SITC of 36 W 2 x 2 LED Panel Ceiling Light , SITC of Drywall or Gypsum board partition , SITC of Single Seating Motorized table and Chair , SITC of Concealed wiring , SITC of Fire Extinguisher ball 1.3 kg , SITC of Wardrobe door with Plywood , SITC of 2 Seating Computer Desk and Chair , SITC of Wooden Sofa - Three Seater , SITC of Wooden Center Table , SITC of Wall Mount Fan , SITC of Floor Carpeting , SITC of Finishing Work

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	40W Stereo active speaker, Cardioid Dynamic Wireless Lapel Microphone system , Cardioid Gooseneck Microphone with desk Stand , 75" Interactive Board Cum Display , 43" Smart Display with 4K Resolution, Floor Mount for 75" IFP (Customized), 4K OPS i5/8GB/256GB/Win11 or higher (Customized), Digital Smart Mixer with 6 x Mic/Line inputs, Advanced 4x1 HDMI multi-view switcher , Control Processor with High-performance processor embedded with quad-core CPU , Control GUI on Secured OS , 10-Port Gigabit Smart Managed PoE Switch , 20X 4K Tracking PTZ Camera with 20x Digital and 20x Optical Zoom, 4k Professional Studio Camera with high-quality 4K recording , Umbrella Design Lantern Softbox for Photography & Videography , 150W LED Video Light for Videography & Photography , Green Screen Backdrop with Stand , Studio Teleprompter with 24" Monitor , Laptop (i5) (16 GB RAM/512 GB SSD/Windows 11 Home), Workstation 32 " Display i9/32GB/1TB SSD/12 GB Graphics Card , Studio Headphone for Mixing & Monitoring , Professional live streaming and video production software for 3 year, Media Station with Video Sources Capturing, mixing, switching, etc. , Dual HDMI to USB-C UVC Video Capture with mixing and capturing , Ceiling/Wall Mount for Camera , Cable, Connectors & Accessories , 5 KVA Online UPS with 10-15 min battery backup , Surge Protection Device for UPS , 10U Equipment Rack , HDMI Tx/Rx , Integration & Programming, 2Ton Silent Split Air Conditioner , 1Ton Silent Split Air Conditioner , Polyester Fiber Sheet Acoustic Wall Panelling including window, Acoustic False Ceiling, 36 W 22 LED Panel Ceiling Light , Drywall or Gypsum board partition , Single Seating Motorized table & Chair , Concealed wiring, Fire Extinguisher ball (1.3 kg), Wardrobe door with Plywood, 2 Seating Computer Desk & Chair , Wooden Sofa - Three Seater, Wooden Center Table, Wall Mount Fan, Floor Carpeting , Finishing Work
	Searched String: 40W Stereo active speaker Speaker (V3) **Searched String**: Cardioid Dynamic Wireless Lapel Microphone system Wireless Microphone (V2) **Searched String**: Cardioid Gooseneck Microphone with desk Stand Wireless Microphone (V2) **Searched String**: 75" Interactive Board Cum Display Interactive Panels with CPU, Interactive Panels without CPU, modular electrical enclosure switch board boxes for modular type accessories, Interactive Boards, Radar Speed Display Board (V2), Professional Large Format Display (V2), File/Folder (V3), Dry Erase Writing Boards (V3), Kiosk Displays, Newspaper Reading Stand (V2) **Searched String**: 43" Smart Display with 4K Resolution Professional Large Format Display (V2), Micro/Semi-Micro/Analytical weighing balance, Television (V3), Multimedia Projector (MMP), Rotary Evaporator, Electronic

बिड विवरण/Bid Details	Lectern System, Electric Motorized Treadmill (V3) **Searched String**: Floor Mount for 75" IFP (Customized) Server or Network Rack (V2), Electronic Tyre Inflator Kit For Educational Purpose, UV - C Disinfection System (V2), FRP Urinal Cabin, Air Decontamination system for hospitals **Searched String**: 4K OPS i5/8GB/256GB/Win11 or higher (Customized) Automatic Milk Collection Unit with Electronic Milk Analyzer and Adulteration testing, Optical Storage Media, Blouse (JSS) - Military Hospital Clothing, Particle Size Analyser, Automatic Milk Collection Unit with Electronic Milk Tester **Searched String**: Digital Smart Mixer with 6 x Mic/Line inputs UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593 **Searched String**: Advanced 4x1 HDMI multi-view switcher HDMI Switcher **Searched String**: Control Processor with High-performance processor embedded with quad-core CPU Computer Processors, Data Wall Controller, Automatic Milk Collection Unit with Electronic Milk Analyzer and Adulteration testing **Searched String**: Control GUI on Secured OS LED Signal Baton, Deposit Safe (Non Tool Resistant), OSINT and Web Intelligence Investigation Software, Riot Control Helmet with accessories (MHA), Industrial Panel PC, Penetration Testing and Security Assessment Software, HDMI Switcher, Hardware Security Key for Multi-Factor Authentication, Knotless Tissue Control Device, Torque Controlled Screwdriver **Searched String**: 10-Port Gigabit Smart Managed PoE Switch Unmanaged L2 Ethernet Switch (Non-PoE), Industrial Ethernet Switch (V2), Fibre Media Converters (V2) **Searched String**: 20X 4K Tracking PTZ Camera with 20x Digital and 20x Optical Zoom Video Conferencing Camera / Web Camera (V2), Non Sparking Double Ended Ring Spanner (V2), Cloth Disruptive Polyester and Cotton (20:80) with Digital Print Uniform Cloth (V3) (CRPF), Laser Range Finder, Non Sparking Double Open Ended Spanner (V2), Cloth Dryer Stand, Micro/Semi-Micro/Analytical weighing balance, Modular Toilet **Searched String**: 4k Professional Studio Camera with high-quality 4K recording Professional Large Format Display (V2), High End Desktop Computer, HDMI Switcher, Video Conferencing Camera / Web Camera (V2), Revolving Chair (V5), High Mast Lighting Octagonal Tower for Small area with LED Flood Lighting System (V2), High Mast Lighting Octagonal Tower With Solar

बिड विवरण/Bid Details	Based LED Street Light (V2), High Mast Lighting Octagonal Tower with Solar Based LED Street Light
	Searched String: Umbrella Design Lantern Softbox for Photography & Videography Category not available on GeM for the text string uploaded by the buyer **Searched String**: 150W LED Video Light for Videography & Photography Led Luminaire For Pit Light, LED Luminaire For Road And Street Lights Conforming To IS 10322 (Part 5/Section 3) (V3), LED Luminaire for Floodlight (V2) Conforming to IS 10322 (Part 5/Section 5), LED Examination Light for medical use, LED Luminaire For Floodlight Conforming To IS 10322 (Part 5/Section 5) (V3), Body Worn LED Flashing Warning Light, LED Luminaire for Road and Street Lights (V2) Conforming to IS 10322 (Part 5 / Section 3), LED Luminaire for High Bay Lighting, High Mast Lighting Tower for large area with LED Flood Lighting System, LED Luminaire for Flood Light, Flame Proof (V2) **Searched String**: Green Screen Backdrop with Stand Coat Stand, Metal Storage Cabinet, Laptop Stand/Cooling Stand, Stationery Holder/Pen Stand(V3), Magnetic Needle with Stand (V2), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Indian National Flag for Table with Stand, Cloth Dryer Stand, Photocopier/Printer Trolley, Rotary Microtome **Searched String**: Studio Teleprompter with 24" Monitor Cardiac Monitor with defibrillator, Computer Monitor (V2), Holter with Monitor for analysis, Teleprompter, Adjustable Monitor Mount with Adjustable Keyboard Workstation, Electronic Lectern System, Cardiac TMT Machine (V2), Laboratory Glass Adapters, Digital Grounding Device with Equipment Protection (V2), Digital Grounding System with Equipment Protection **Searched String**: Laptop (i5) (16 GB RAM/512 GB SSD/Windows 11 Home) Random Access Memory (RAM) Module, Automatic Milk Collection Unit with Electronic Milk Analyzer and Adulteration testing, Fixed Computer Workstation (V2), Internal Storage Device (SSD/HDD) (V2) **Searched String**: Workstation 32 " Display i9/32GB/1TB SSD/12 GB Graphics Card Binder Clips (V3) Conforming to IS 8231 **Searched String**: Studio Headphone for Mixing & Monitoring mixing valves for ablutionary and domestic purposes - as per IS 1701, Ready Mixed Paint for Road Marking as per IS 164, Cocktail Shaker, Animal Health Monitoring Device / Animal Tag, Holter with Monitor for analysis, Online Monitoring System for Water and Energy Resource Utilisation (NLC INDIA LTD), Triple Quadrupole LCMS System for contaminant analysis in Food and Dairy Products, AI Video Analytics Software for Security, Safety

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	and Occupancy Monitoring, PCR Master Mix for In Vitro Diagnostic (IVD) Use, Wired Headphones, Earphones and Communication Headsets **Searched String**: Professional live streaming and video production software for 3 year Video Editing and Converter Software (V2), Software for Advance Network command and control system **Searched String**: Media Station with Video Sources Capturing, mixing, switching, etc. Category not available on GeM for the text string uploaded by the buyer **Searched String**: Dual HDMI to USB-C UVC Video Capture with mixing and capturing Category not available on GeM for the text string uploaded by the buyer **Searched String**: Ceiling/Wall Mount for Camera Wall Mount Thermometer, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Projector Mounting Stand (V2), Helmet Mount (Accessories for Action Camera), Bathroom Water Shower (V2), Wall / Ceiling Mounted Automatic Fire Extinguisher (V2), LED Examination Light for medical use, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Metal Storage Cabinet, Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2) **Searched String**: Cable, Connectors & Accessories Cardiopulmonary Bypass Connectors (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Terminal Strip Connectors, Cable Joint Kit Suitable for Cables Up to and Including 33 kV (V2), Substation Clamps / Connectors, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Circular Socket or Connector, Cable Termination Kit Suitable for Cables Up to and Including 33 kV (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: 5 KVA Online UPS with 10-15 min battery backup Online UPS (>10 KVA) With Battery, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (>10 KVA) Without Battery, Online UPS (V2), Online UPS (≤10 KVA) Without Battery Conforming To IS 16242 (Part 1), Line Interactive UPS with AVR (V2), Online Ups Modular Type **Searched String**: Surge Protection Device for UPS RJ45 Network Surge Protection Device (SPD), Protective Eye Goggles (MHA), Digital Grounding System with Equipment Protection, Digital Grounding Device 3 Phase, Digital Grounding Device with Equipment Protection (V2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, SOVP Device for Street light Pole Mounted, Sonic Defenders - Hearing Protection Device (MHA), Automotive

बिड विवरण/Bid Details	Chassis Fitted with Engine (V2), Low Voltage Surge Protective Devices Connected to Low Voltage Power Systems Conforming To IS 16463 (Part 11) **Searched String**: 10U Equipment Rack Dumbbell Rack, water baths, Bathroom Rack, Dumbbells Rack (Version 2), Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Squats Rack (Version 2), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Laboratory Reagent rack, Humidity Chamber, Test Tube Rack **Searched String**: HDMI Tx/Rx HDMI Switcher, Cables, Converters and Adapters, HDMI Splitter, Toner Cartridges / Ink Cartridges / Consumables for Printers, Balloon Dilatation Catheters **Searched String**: Integration & Programming Hiring of Professionals for Application Development and Maintenance, System Integration Service to Implement IoT Sensor-Based Measurement and Monitoring of Rural Water Supply Systems **Searched String**: 2Ton Silent Split Air Conditioner Split Air Conditioner Including Green AC, Wall Mount Type (V2), Split Air Conditioner, Floor Mount Type (Tower AC) Marked to IS 1391 (Part 2) (V3), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Reciprocating Air Compressors - Electric Motor Driven, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Multiple Split System Air Conditioners and Air to Air Heat Pumps (VRF Air Conditioners) Conforming to IS 18728, Precision Air Conditioner, Panel Air Conditioner, Surveying or Mapping Drone or Unmanned Aerial Vehicle (Defence Forces - Navy, Army and Air Force), Unitary Air Conditioner (Window AC) (V3) ISI Marked to IS 1391 (Part 1) **Searched String**: 1Ton Silent Split Air Conditioner Split Air Conditioner Including Green AC, Wall Mount Type (V2), Towel Hand Cotton Turkish (IAF), Split Air Conditioner, Floor Mount Type (Tower AC) Marked to IS 1391 (Part 2) (V3), Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Split Air Conditioner, Ceiling Mount Type (Cassette) (V3) ISI Marked to IS 1391 (Part 2), Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Multiple Split System Air Conditioners and Air to Air Heat Pumps (VRF Air Conditioners) Conforming to IS 18728, Precision Air Conditioner, Vacuum Pump, Panel Air Conditioner **Searched String**: Polyester Fiber Sheet Acoustic Wall Panelling including window Category not available on GeM for the text string uploaded by the buyer **Searched String**: Acoustic False Ceiling False Flooring System (BHEL), LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), acoustic stethoscope, Acoustic Stethoscope (V2), Ceiling OT Light (V2), Acoustic Tanpura

बिड विवरण/Bid Details	(V2), Indexable Inserts, Wiper Ceiling Bungi, Electric Ceiling Fan (V4) ISI Marked to IS 374, Acoustic Binaural Stethoscope (V3) **Searched String**: 36 W 22 LED Panel Ceiling Light LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), Portable Emergency LED Lighting Tower System with Battery Bank, Interactive Panels without CPU, Dental Curing light gun, LED Bulkhead Light, High Mast Lighting Octagonal Tower With Solar Based LED Street Light (V2), Television (V3), Flood Light Luminaire suitable for HPSV Lamps, High Mast Lighting Octagonal Tower with Solar Based LED Street Light **Searched String**: Drywall or Gypsum board partition Plain Gypsum Plaster Board ISI Marked to IS 2095 (Part 1), Information Boards or Illustration Board (V2), Board Games Or Magic Board With Bands (V2)-Toys, Sign holders or stands, Wooden Furniture from Hoshiarpur - ODOP **Searched String**: Single Seating Motorized table & Chair Stainless Steel Dining Table With Fixed Chair, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Modular Table / Meeting Table / Centre Table (V2), Folding Chair (V2), Desk and Chair Set for Classroom/Training Area, Executive Table (V4), Wooden Furniture from Chhatarpur - ODOP, Auditorium Chair (V2), Moonj Grass based Furniture Products from Udham Singh Nagar - ODOP, Chair or Bench or Stool (Handicraft) (V2) **Searched String**: Concealed wiring PVC Wiring Channel With Cover - BHEL, Muffle Furnace, Flexible Steel Conduits For Electrical Wiring Conforming To IS 3480, Cable Trunking and Wiring Duct System For Electrical Installations Marked To IS 14927 (Part 2), Tapered Bearings as per IS 12102, PTMT Tap Fitting, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Terminal Strip Connectors, Endotracheal Tube - Sterile (Single Use), Electrical Junction Box for Lighting **Searched String**: Fire Extinguisher ball (1.3 kg) Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Wheeled Fire Extinguishers (V3) ISI Marked to Is 16018, Medicine Ball, Electronic Weighing Scales, Medicine Ball (V2), Automatic Fire Ball for Fire - Extinguishing (V2), Fixed Clean Agent Gas based cylinderless Fire Suppression System **Searched String**: Wardrobe door with Plywood Wooden Almirah / Wardrobe (V2), Metal Storage Cabinet, Door With Assembly, Door With Assembly (V2), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Wooden Display cabinet with Glass Doors, Laboratory Refrigerator (V3), Steel Almirah / Cabinets (V4), Laboratory Deep Freezer (Upto -20°C Degree), Ultra Low Temperature Laboratory Deep Freezer (up to -86°C Degree) **Searched String**: 2 Seating Computer Desk & Chair Desk and Chair Set for Classroom/Training Area, Waiting

बिड विवरण/Bid Details	Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Computer Table (V3), Revolving Chair (V5),
	Desk and Bench Set for Classroom/Training Area, Computer Motherboards, Computer Processors, Entry and Mid Level Desktop Computer, Computer Keyboards, High End Desktop Computer **Searched String**: Wooden Sofa - Three Seater Tandem Paramotors (Three Seater) (Defence), Sofa (V3), Wooden Podium, Sofa Set or Couch (Handicraft) (V2) **Searched String**: Wooden Center Table Wooden Furniture from Chhatarpur - ODOP, Modular Table / Meeting Table / Centre Table (V2), Wooden Furniture from Alipurduar - ODOP, Table (Handicraft) (V2), Wooden Furniture from Hoshiarpur - ODOP, Computer Table (V3), Wooden Podium, Executive Table (V4), Wooden Handicrafts, Composite Office Tables conforming to IS 8126 (V2) **Searched String**: Wall Mount Fan Wall Mount Thermometer, Pole-Mounted Outdoor Dustbin, Air Circulator Type Electric Fan and Regulator (V2) Conforming To IS 2997, Split Air Conditioner, Wall Mount Type (V3) ISI Marked to IS 1391 (Part 2), Diesel Power Generator (V2), Electric Table Type Fan and Regulator (V2) Conforming To IS 555, Projector Mounting Stand (V2), Industrial Tempra Mount Socket, Wall Mounting Cabinet, data wall display **Searched String**: Floor Carpeting Floor Drain Traps, Metal Storage Cabinet, Automotive Floor Mat, Inflatable Tent, Handcrafted Floor Mats, Scrubber Dryer Floor Cleaning Machine (V2), Floor Lamps-Handicraft, Currency Counting Machine (V2), Floor Drain Traps (V2), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) **Searched String**: Finishing Work Stitching and Tailoring Service, Manpower Outsourcing Services - Minimum wage, Manpower Outsourcing Services - Man-days based, Event or Seminar or Workshop or Exhibition or Expo Management Service, Facility Management Services - LumpSum Based, Facility Management Service - Outcome Based, Survey or Market Research Services/ Program evaluation or assessment survey services/Feedback Survey, Hiring of Creative Agency, Call Centre Service - Per Seat Basis, Call Centre Service - Per Connect Minute Basis
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Interactive Panels with CPU • Fixed Computer Workstation (V2) • Video Conferencing Camera / Web Camera (V2)
बीओक्यू शीर्षक /BOQ Title	ICT Enabled Audio visual Modernization of Studio Room
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	35 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	286 Lakh (s)

बिड विवरण/Bid Details	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service**	3 Year (s)
टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria**	GeM verified turnover
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / **MSE Relaxation for Years Of Experience and Turnover**	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	1
विगत प्रदर्शन /**Past Performance**	50 %
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	Yes
रिवर्स नीलामी योग्यता नियम/**RA Qualification Rule**	H1-Highest Priced Bid Elimination
बिड का प्रकार/**Type of Bid**	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/**Primary product category**	SITC of Control Processor with High-performance embedded with quad-core CPU
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation**	3 Days

बिड विवरण/Bid Details	
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	Bank of India
ईएमडी राशि/EMD Amount	357712

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	14

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(c).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :
Director, ABV-IIITM, Gwalior
ABV-IIITM, Gwalior, Morena Link Road, Gwalior MP Pin-474015 Madhya Pradesh
(Director, Abv-iiitm, Gwalior)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes

मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three financial years, ending on 31st March of the previous financial year, should be as indicated in the bid document. The turnover of the bidder shall be validated by the system based on the financial data available on the GeM portal. The average turnover shall be calculated based on the last three financial years where data is available; in case data is available for

only two of the last three financial years, the average shall be computed based on those two years. In case the date of constitution / incorporation of the bidder is less than three years old, the average turnover in respect of the completed financial years after the date of constitution / incorporation shall be taken into account for this criterion. No separate documentary evidence is required to be uploaded by the bidder for this criterion, as the system shall derive and validate the turnover figures from the data available on the GeM portal.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid

opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

12. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

SITC Of 40W Stereo Active Speaker

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	2	60

SITC Of Cardioid Dynamic Wireless Lapel Microphone System

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Cardioid Gooseneck Microphone With Desk Stand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	2	60

SITC Of 75 Inch Interactive Board

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of 43 Inch Smart Display With 4K Resolution

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Floor Mount For 75 Inch IFP - Customized

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of 4K OPS I5 8GB 256GB Win11 Or Higher - Customized

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Digital Smart Mixer With 6 X Mic Line Inputs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Advanced 4x1 HDMI Multi-view Switcher

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Control Processor With High-performance Embedded With Quad-core CPU

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Control GUI On Secured OS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of 10-Port Gigabit Smart Managed PoE Switch

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of 20X 4K Tracking PTZ Camera With 20x Digital And 20x Optical Zoom

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of 4k Professional Studio Camera With High-quality 4K Recording

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Umbrella Design Lantern Softbox For Photography Videography

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	2	60

SITC Of 150W LED Video Light For Videography Photography

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	2	60

SITC Of Green Screen Backdrop With Stand

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Studio Teleprompter With 24 Inch Monitor

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Laptop I5 16 GB RAM 512 GB SSD Windows 11 Home

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Workstation 32 Inch Display I9 32GB 1TB SSD 12 GB Graphics Card

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Studio Headphone For Mixing And Monitoring

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Professional Live Streaming And Video Production Software For 3 Year

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Media Station With Video Sources Capturing, Mixing, Switching, Etc.

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Dual HDMI To USB-C UVC Video Capture With Mixing And Capturing

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Ceiling Wall Mount For Camera

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Cable, Connectors And Accessories

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of 5 KVA Online UPS With 10-15 Min Battery Backup

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Surge Protection Device For UPS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of 10U Equipment Rack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of HDMI Tx Rx

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Integration And Programming

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of 2Ton Silent Split Air Conditioner

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of 1Ton Silent Split Air Conditioner

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Polyester Fiber Sheet Acoustic Wall Panelling Including Window

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	912	60

SITC Of Acoustic False Ceiling

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	529	60

SITC Of 36 W 2 X 2 LED Panel Ceiling Light

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	16	60

SITC Of Drywall Or Gypsum Board Partition

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	372	60

SITC Of Single Seating Motorized Table And Chair

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Concealed Wiring

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Fire Extinguisher Ball 1.3 Kg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	3	60

SITC Of Wardrobe Door With Plywood

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	2	60

SITC Of 2 Seating Computer Desk And Chair

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Wooden Sofa - Three Seater

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Wooden Center Table

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Wall Mount Fan

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

SITC Of Floor Carpeting

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	529	60

SITC Of Finishing Work

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Anil Kumar Garg	474015,ABV-IIITM Gwalior, Morena Link Road, NH #92, Gwalior, Madhya Pradesh Pin - 474010	1	60

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Forms of EMD and PBG**

   Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

   Director, ABV-IIITM, Gwalior
   Account No.
   945210110000969
   IFSC Code
   BKID0009462
   Bank Name
   Bank of India
   Branch address
   ABV-IIITM, Gwalior, Morena Link Road, Gwalior MP Pin-474015
   .
   Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

2. **Forms of EMD and PBG**

   Successful Bidder can submit the Performance Security in the form of Payment online through RTGS / internet banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary name

   Director, ABV-IIITM, Gwalior
   Account No.
   945210110000969
   IFSC Code
   BKID0009462
   Bank Name

Bank of India
Branch address
ABV-IIITM, Gwalior, Morena Link Road, Gwalior MP Pin-474015
. Successful Bidder to indicate Contract number and name of Seller entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of award of contract.

3. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

4. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

5. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

Atal Bihari Vajpayee Indian Institute of Information Technology and Management

Gwalior - 474015 (M.P.)

(An Institute of National Importance under the Ministry of Education, Govt. of India)

NOTICE INVITING TENDER FOR Development of ICT-Enabled Audio-visual Studio Room

(Recording Equipment, Furniture, and Associated Infrastructure Works)

1. Introduction

ABV-Indian Institute of Information Technology and Management (IIITM) Gwalior is an Institute of National Importance as per the IIIT Act of the Government of India. It is a Centrally Funded Technical Institute fully funded by the Ministry of Education, Government of India.

Atal Bihari Vajpayee Indian Institute of Information Technology and Management (ABV-IIITM), Gwalior, invites bids for the complete Supply, Installation, Testing, and Commissioning (SITC) for the Development of ICT-Enabled Audio-visual Studio Room. The overall objective is to develop a professionally equipped, acoustically treated and technology-enabled studio capable of supporting high-quality 4K video recording, lectures, presentations, professional video production, interactive sessions, online programmes and live streaming, with integrated audio-visual control and recording facilities.

The Institute invites Bids/Tenders from various organizations/bidders for the above-mentioned work. The interested bidders/organizations may submit their Bids/Tenders in the prescribed format, duly completed, along with the requisite enclosures/documents. Incomplete Bids/Tenders will not be considered for evaluation.

The Institute reserves the right to accept or reject any or all Bids/Tenders without assigning any reason.

2. Scope of Work

2.1 Overview

The bidder/OEM shall undertake the complete aforementioned work at ABV-IIITM Gwalior on a turnkey basis. The work encompasses the following major components:

A. Audio-Visual and Interactive Classroom Infrastructure: Installation of professional audio equipment, including active speakers, wireless lapel microphones, gooseneck microphones, a 75-inch interactive flat panel, a 43-inch smart display, digital audio mixer, HDMI multi-view switcher, control processor, control GUI and PoE network switch.

B. Professional Video Recording and Production Setup: Installation of 4K PTZ tracking cameras, professional studio cameras, LED video lights, softboxes, green screen backdrop, studio teleprompter, professional headphones, laptop and high-performance video editing workstation.

C. Live Streaming and Media Management: Provision of professional vMix live streaming software, media station for multi-source 4K video capture, mixing, switching, recording and streaming, dual HDMI-to-USB video capture equipment, and associated cabling and accessories.

D. Power and Equipment Infrastructure: Installation of a 5 KVA online UPS with battery backup, surge protection, customized equipment rack, HDMI transmitters/receivers and camera mounting arrangements.

E. Acoustic Treatment and Interior Development: Acoustic wall panelling, acoustic false ceiling, gypsum/drywall partitions, sound-controlled air-conditioning, LED lighting, concealed electrical wiring and floor carpeting.

F. Furniture and Ancillary Facilities: Provision of customized motorized presenter table and chair, computer desks and chairs, sofa, centre table, wardrobe modifications, wall-mounted fan and fire safety equipment.

2.2 Scope of Work for supply, installation, testing commissioning and warranty

1. The bidder/OEM shall supply all equipment, materials, accessories and associated components as specified in the Schedule of Requirements (Annexure-C), conforming to the detailed technical specifications mentioned in the respective annexures.

2. All equipment supplied must be brand new, unused, fully functional and operable, conforming to the specifications and requirements of this tender. No refurbished, used or end-of-life products shall be accepted.

3. The work shall be executed on a turnkey basis. All components, accessories, connectors, cables, mounting arrangements and other items necessary for making the studio fully operational at the designated location shall be supplied, installed and commissioned within the quoted price.

4. If, at the time of installation, any additional material, accessories, connectors, cabling or components are required for complete installation, integration and commissioning, which were not originally listed in the Schedule of Requirements, the bidder shall supply the same at no additional cost to the Institute.

5. Any equipment or material damaged during transportation, installation, handling or commissioning at the site shall be repaired or replaced by the bidder at no additional cost to the Institute.

6. The bidder shall undertake complete installation, configuration, integration and interconnection of all supplied equipment, including audio systems, microphones, interactive displays, cameras, video production systems, lighting equipment, media stations, control processors, networking equipment and associated peripherals.

7. The bidder shall ensure seamless integration of all audio-visual equipment, including compatibility between cameras, microphones, audio mixers, video switchers, media stations, video

capture devices, streaming software and display systems, ensuring that all components function together as a unified studio solution.

8. The bidder shall carry out all necessary acoustic treatment and interior development work as specified in the Schedule of Requirements, including acoustic wall panelling, acoustic false ceiling, drywall/gypsum partitions, floor carpeting and other associated finishing works, ensuring suitability of the premises for professional audio and video recording.

9. The bidder shall undertake all associated electrical and infrastructure works, including concealed wiring, cable routing, installation of power outlets, equipment mounting, UPS installation, surge protection and other necessary arrangements required for safe and reliable operation of the studio.

10. The bidder shall ensure proper installation, mounting, positioning and configuration of cameras, displays, speakers, microphones, lighting equipment, teleprompter and other studio equipment, taking into consideration the intended recording, presentation and streaming requirements.

11. The bidder shall configure and demonstrate the functionality of the professional live streaming and video production software, including video source capturing, mixing, switching, recording, streaming and integration with the supplied media station and other equipment.

12. The bidder shall configure the centralized control processor and associated control GUI on a secured operating system for integrated operation and management of the connected audio-visual equipment, wherever applicable.

13. The bidder shall ensure proper configuration and functioning of all supplied software, firmware, device drivers, communication interfaces, network interfaces and control protocols required for the intended operation of the studio.

14. The bidder shall undertake comprehensive testing of all equipment and integrated systems, including audio input/output, microphone performance, speaker output, camera functionality, video switching, 4K video capture, recording, live streaming, display functionality, lighting arrangements and control system operations.

15. The bidder shall demonstrate the complete operational functionality of the studio through actual recording and live streaming tests, including testing of audio-video synchronization, video quality, audio clarity, source switching and recording output.

16. The bidder shall ensure that all supplied equipment is properly labelled, interconnected and arranged in an organized manner, with appropriate cable management and equipment identification for ease of operation and future maintenance.

17. The bidder shall provide all necessary technical documentation, including equipment manuals, datasheets, warranty certificates, software license details, system configuration details, connection diagrams, wiring diagrams and operational instructions.

18. The bidder shall provide hands-on training to the Institute's nominated technical personnel regarding the operation, configuration and basic troubleshooting of all installed equipment, including audio-visual systems, camera operations, video production, live streaming software and centralized control systems.

19. The successful bidder shall provide comprehensive training sessions. Training should be conducted on-site inside the premises without any additional charges. The e-learning material in the form of small videos/PowerPoint presentations/training material in PDF form shall also be made available by the bidder.

20. The bidder shall ensure that all applicable software and firmware supplied or installed under this tender are properly licensed and activated. All perpetual/lifetime software licenses, wherever specified, shall be registered in the name of the Institute and handed over with the necessary license credentials and documentation.

21. The bidder shall obtain prior approval from the Institute before undertaking any significant modification to the proposed installation layout, equipment positioning, cabling arrangement or interior infrastructure.

22. The bidder shall maintain proper safety precautions during execution of the work and shall be responsible for protecting the existing building infrastructure, electrical installations, furniture and other Institute property from any damage arising during execution.

23. The bidder shall remove all debris, packaging materials, unused materials and waste generated during installation and interior development work and hand over the premises in a clean and operational condition.

24. The bidder shall rectify any deficiencies, defects or shortcomings identified during installation, testing, commissioning or demonstration, to the satisfaction of the Institute, without any additional financial implication.

25. The bidder shall submit a comprehensive installation and commissioning report, including the inventory of installed equipment, serial numbers, configuration details, test results and other relevant documentation, upon completion of the work.

26. The complete installation shall be considered successfully commissioned only after satisfactory demonstration and acceptance by the Institute's authorized representatives.

27. All items supplied and installed under this tender shall carry a comprehensive on-site warranty of THREE (03) years from the date of successful installation, commissioning and acceptance by the Institute.

28. During the warranty period, the bidder shall be responsible for providing necessary technical support, preventive maintenance, corrective maintenance, repair and replacement of defective equipment, components and accessories without any additional cost to the Institute.

29. Any defective equipment or component that cannot be repaired satisfactorily within a reasonable period shall be replaced with an equivalent or higher-specification product, subject to approval of the Institute, without any additional cost.

30. The bidder shall provide contact details of the designated service personnel and escalation matrix for attending to service requests and warranty-related complaints during the warranty period.

31. ABV-IIITM reserves the right to scrutinize any document submitted by the bidder in support of the bid. Any document, if found to be unauthentic, may lead to disqualification of the bidder at any stage including after the award of the work.

32. The bidder should attach relevant data-sheets/technical literature to ensure validation of the specifications.

3. Pre-Qualification / Eligibility Criteria

Bidder must fulfil all the following eligibility criteria and provide documentary evidence:

S/N	Eligibility Criteria	Documents Required	Compliance (Yes/No)	Page No.

1	The Bidder should be an established IT/Civil contractor and should have been engaged in similar IT infrastructure/civil works for at least 3 years as on the last date of submission of the technical bid.	Certificate of Incorporation and address proof of registered office.		
2	The bidder should have an average annual turnover of at least Rs. 35 Lakhs per year from the last 3 financial years (FY 2022-23, 2023-24, 2024-25).	CA Certified Turnover Statement for the last three financial years as on 31.03.2025.		
3	Bidder must have strong presence in Audio-Video - Croma Studio setup or similar Audio Visual work experience during the last three years with Govt. organisations/PSUs.	The bidder should submit copy of work orders with completion certificates for each year.		
4	The bidder should have executed at least 2 similar projects involving construction or setup of a AV room that involves SITC of 4K digital camera/s and Digital Smart Mixer in Government Institutions/PSUs/Autonomous Bodies in the last 5 years. At least one project should have a value of Rs. 20 Lakhs or more.	Copies of purchase orders and completion certificates/installation reports issued by clients.		
5	The Bidder and all sub-contractors/OEMs shall not be banned/blacklisted by any State or Central Government institution in India during the last 5 years.	Self-declaration on company letterhead, duly signed by the authorized signatory.		
6	Manufacturer Authorisation Form (MAF) from OEM for IFP, 4k Professional Studio Recording Camera, Digital Smart Mixer, Streaming Encoder, Teleprompter, HDMI switcher and KVM switch should be submitted along with the bid. The MAF should clearly mention the GeM bid number and a statement confirming compliance with all the technical specifications of their equipment.	MAF/Authorized Partner Certificate from respective OEMs for all major components.		

7	The OEM of IFP and 4K professional studio camera should be a well-established OEM with minimum 2.80 Crore Rupee turnover from the last 3 financial years (FY 2022-23, 2023-24, 2024-25).	CA Certified Turnover Statement for the last three financial years as on 31.03.2025		
8	For Smooth operation and proper integration of the setup, the PTZ Cameras, Digital Video Switcher and PTZ Camera Controller should be from the same OEM.	The declaration from OEM should be submitted along with the bid.		

Note:

· All details and supportive documents for the above-mentioned criteria should be uploaded with the bid.

· Exemption clauses as per GeM GTC/rules/norms are applicable wherever relevant.

4. Inspection and Testing

A. All works shall be tested for functional verification in the presence of Institute representatives.

B. The successful bidder shall be responsible for obtaining the Installation and Commissioning Certificate (sign-off) upon completion of work, in accordance with the scope of work and technical requirements.

C. The successful bidder shall be responsible for the rectification of all discrepancies identified by the TPA/authorized representative during Site Acceptance Testing (SAT).

D. The comprehensive warranty and OEM support shall commence only after successful installation and formal acceptance by the Institute.

E. During the warranty period, the bidder shall repair or replace all defective components at the installation site free of cost.

5. Maintenance of Services

A. The bidder shall ensure repair/replacement of all faulty material within 96 hours of reporting, failing which applicable penalties will be imposed.

B. If any equipment gives continuous trouble (three or more failures in a single month during the warranty period), the bidder shall replace the unit at no additional cost to the Institute.

C. During the warranty period, the bidder shall provide full technical support including troubleshooting, configuration assistance as required.

6. Instructions to Bidders

A. Bidders are advised to visit and examine the site(s) before bid submission. All costs of site visits shall be at the bidder's own expense.

B. Consortium/Joint Venture (JV) is not allowed to participate in this bid.

C. The complete supply, installation, testing, and commissioning must be completed within 60 da ys from the date of the confirmed purchase order. Bidders must confirm acceptance of this sch edule in the Technical Bid.

D. The bidder must ensure warranty support and services are available at the delivery site.

E. The successful bidder shall, within 15 days from the date of award, furnish a Performance Ban k Guarantee (PBG) equivalent to 5% of the contract value, valid till completion of the warranty period plus 60 days.

F. The tender should be valid for a period of six (06) months from the date of opening.

G. All tenders/bids must be accompanied by the required EMD in favour of Director, ABV-IIITM Gw alior.

H. All disputes are subject to the jurisdiction of Gwalior Court only.

7. Penalty Clause

A. If the bidder fails to complete all works within the specified time, a penalty of 0.5% of the contract value shall be levied per week of delay as Liquidated Damages (LD), up to a maximum of 10%.

B. Delay in excess of 6 weeks may lead to contract termination, and the Performance Bank Guara ntee and/or EMD may be forfeited.

C. During the warranty period, if a complaint is not resolved within 3 working days, a penalty of R s. 500/- per day shall be levied. If unresolved beyond 7 days, the penalty escalates to 150% (8th to 14th day), and 200% from the 15^{th} day onward.

D. All penalties shall be deducted from any Bill/PBG/EMD/Security Deposit available with ABV-IIIT M Gwalior.

8. Payment Terms

A. No advance payment will be made in any case.

B. Payment will be made after deducting TDS, penalty, etc., as applicable. There will be no increa se in rates during the contract period, except for any change in applicable GST.

C. Payment will be made as per the actual quantity used and installed at the site.

9. Arbitration

Any claim, dispute, or difference arising out of or in connection with this agreement, which cannot be settled by mutual consultation, shall be referred to sole Arbitration by an Arbitrator appointed b y mutual consent. The award shall be final and binding. The arbitration proceedings shall be gover ned by the Arbitration and Conciliation Act, 1996, and shall be conducted in Gwalior, Madhya Prad esh.

10. Force Majeure

The right of the bidder to proceed with the work shall not be terminated due to delays caused by u

nforeseeable circumstances beyond the control and without the fault or negligence of the contract or, including but not limited to acts of God, restraints of a sovereign state, floods, or unusually sev ere weather conditions.

11. Bid Document Checklist

S. No.	Document / Particulars to be Submitted	Bidder's Com pliance (Yes/ No)	Page No.
1	Certificate of Incorporation / Registration of the firm or company.		
2	Self-declaration confirming that the bidd er and its subcontractors/OEMs have not been blacklisted or banned by any Centr al or State Government institution during the last five years.		
3	Documentary evidence establishing at le ast three years of experience in similar I T infrastructure / civil works.		
4	CA-certified annual turnover statement o f the bidder for the last three financial y ears, as specified in the eligibility criteria , establishing the prescribed average an nual turnover of ₹35 lakh.		
5	Copies of purchase orders and completio n certificates / installation reports for at l east two similar AV room projects execut ed in Government Institutions / PSUs / A utonomous Bodies during the last five ye ars.		
6	CA-certified turnover statement of the O EMs of the Interactive Flat Panel (IFP) an d 4K Professional Studio Camera, establi shing the prescribed minimum turnover of ₹2.80 crore for the last three financial years.		
7	Tender-specific Manufacturer Authorisati on Form (MAF) / Authorised Partner Certi ficate from respective OEMs for major eq uipment.		

8	Technical datasheets, brochures and product literature of all major equipment offered, supporting compliance with the prescribed specifications.		
9	Filled Technical Compliance Sheet (Annexure-D), indicating Yes/No against each technical specification.		
10	Earnest Money Deposit (EMD) in favour of Director, ABV-IIITM Gwalior, or valid exemption document wherever applicable under GeM GTC / Government rules.		
11	Financial / Price Bid submitted in the prescribed GeM format.		

Annexure A- Description of Major Equipment

1. Integrated Audio System

Speakers

The speaker system should deliver exceptional sound quality. Should have a Built-in Digital Signal Processor (DSP) that ensures a powerful, clear sound experience.

The system should include a stereo amplifier capable of delivering at least 2 x 40 watts of power. It should support both balanced and unbalanced stereo line inputs for compatibility with various audio sources, from 3.5 mm jack connectors to terminal block inputs for longer, interference free signal runs. Should include volume control and two tone adjustments for treble and bass.

Should have flexible installation capabilities to be installed on with brackets that support both horizontal and vertical mounting, allowing up to 45° inclination. Additionally, it should have capabilities to be installed in corners or on ceilings, with an optional mounting bracket providing up to 90° extra inclinations. For safety, the unit should include M6 drop protection.



(Active Wall Speakers)

Key Features required:

· 2 Way Speaker System: Active and passive units with 5 ¼” woofer and ½” tweeter for High Quality audio.

· Integrated DSP: Delivers clear, powerful sound for various applications.

· Stereo Amplifier: Provides 2 x 40 watts of power.

· Flexible Inputs: Balanced and unbalanced stereo line inputs, including 3.5 mm jack and terminal block.

· Tone Control: Two band equalizers for treble and bass adjustments.

· Auto Standby Mode: Reduces power consumption when no signal is detected.

· Flexible Mounting: Horizontal/vertical installation with 45° inclination; optional 90° bracket available.

· Safety Features: Equipped with M6 drop safety protection.

· Remote Input Expansion: RJ45 connector allows connection to optional remote input modules.

Wireless Lapel Microphone

To enhance audio experience with this wireless system paired with a high-performance cardioid condenser lavalier microphone. It should facilitate presentations, lectures, theatre performances, or on-the-go broadcasting, with clear, professional sound quality and ease of use.



(Wireless Lapel Microphone)

Key Features required:

· **Crystal-Clear Audio:** Delivers exceptional sound fidelity, ensuring every word is captured wit h precision.

· **Cardioid Lavalier Microphone:** Effectively reduces background noise and focuses on the us er's voice, ideal for noisy environments.

· **Wireless Freedom:** Offers seamless mobility without compromising audi quality, perfect for dynamic presentations and performances.

· **Lightweight Beltpack Design:** Compact and ergonomic, providing comfort for extended use .

· **Wide Compatibility:** Connects effortlessly with various sound systems and devices.

Modular Microphone System

Modular microphone system is required for professional sound reinforcement and should include a condenser microphone element, gooseneck, and a choice of different power modules, along with c lamp and shock mount.



(Desk Microphone)

2. Display System

Interactive Flat Panel (IFP)

Interactive Flat Panels are required for engagement and provide the presenter and viewer with mo re involving and highly immersive learning experience.



(Interactive Flat Panel)

Open Plug System

The Open Plug system (OPS) should connect computer devices to large flat panel/interactive displ ays via a single universal internal slot. With no need for any cables, the Very PC OPS System simpl y plugs into a single slot in the back of any OPS compatible display (both touch and non-touch), in stantly converting big screen into a giant all-in-one Windows



(Open Plug System)

Display Wall Monitor

A monitor is an important component of any presentation or event setup. The monitor is a screen that should display the content being presented to the controller allowing them to see exactly wha t the audience shall see during or after recording.

This can help controller to engage and strengthen the recording more effectively and to ensure th at their message is being communicated clearly.



(Display Monitor)

3. Control System

Digital Smart Mixer

Digital Smart mixer shall be used to control multiple microphones or media inputs. Its front panel s hould feature controls and LED indicators for easy adjustment of input/output levels, gain settings, and preset recalls. Users should be able to manage phantom power, low-cut filters, automatic mixi ng, and acoustic echo cancellation (AEC). The mixer should also allow changes to IP configurations (Auto or Static).

With Web Remote functionality, users should be able to make adjustments from a Windows PC, Ma c, iOS, or Android device, including input and output settings and Smart Mix options. It includes ne twork (CAT5e or better) and USB ports, as well as A/B Link ports for connecting up to eight mixers

via CAT5e cable for expanded setups.



(Digital Smart Mixer)

Key Features required:

· 6 Mic / line inputs and 1 unbalanced stereo input

· 2 Balanced outputs and 1 unbalanced stereo output

· USB Audio input / output (1 stereo input, 1 stereo output)

· Remote LED control of ES954 hanging microphone arrays using the GPO terminal

· SmartMixer with selectable gain sharing or gate mode

· High-performance echo canceler for each input channel

· Noise cancellation that can be assigned to any output channel

· Built-in 4-band EQ and compressor / de-esser for each input channel

· Eight 8-band feedback suppressors that can be assigned to mic / line inputs and any output channel

· Built-in 12-band PEQ, compressor, and limiter for each output channel

HDMI Multiview Switcher

HDMI Multiview switcher should allow multiple HDMI sources to be displayed simultaneously on a single screen, featuring customizable video layouts such as Picture-in-Picture (PIP), Picture-by-Picture (PBP), and Quad-window configurations.



(HDMI Multiview Switcher)

Key Features required:

Simultaneous Display: Supports multiple sources displayed at once.

Customizable Layouts: Offers a range of layout options, including PIP, PBP, and Quad-window configurations.

High-Quality Audio: Supports various HDMI audio formats and provides audio breakout options.

Flexible Control Options: Easily control the switcher through multiple interfaces, including remo te and web GUI.

Secure Content Transmission: Complies with industry standards to ensure compatibility and s ecurity.

Control Processor



(Control Processor)

This KVM switch should enable seamless control of multiple computers from a single keyboard, vi deo monitor, and mouse setup. It should allow switching between different systems easily, enhanc ing productivity and efficiency provided with a user-friendly interface and robust features.

Key Features required:

- **Multi-Computer Control:** Manage up to two computers using a single set of peripherals, sim plifying your workspace and reducing cable clutter.
- **High-Resolution Support:** Provides clear and vibrant visuals, supporting resolutions up to 1920x1080 for a quality viewing experience.
- **Easy Switching:** Features convenient buttons on the front panel for quick and straightforward switching between computers.
- **Compact Design:** Lightweight and space-efficient, this KVM switch is easy to integrate into a ny workspace without taking up too much room.
- **Plug-and-Play Setup:** Simple installation with no software required, allowing for immediate u se right out of the box.

Compact touch-based control Panel

A compact touch-based control panel shall be used for centralized control of AV and room automat ion systems. It should provide an intuitive user interface for managing multiple devices such as dis plays, projectors, lighting systems, audio equipment, and environmental controls within meeting r ooms, classrooms, and corporate environments.

It should have a sleek wall-mount design, offer a responsive touchscreen interface that should ena ble easy operation and customizable control layouts. It should have the capability to integrate sea mlessly with compatible control processors and automation systems, allowing users to execute pr

eset commands and manage room functions efficiently.

With network connectivity and flexible configuration options, the panel should support scalable ins tallations and centralized management.



(Touch-based control panel)

Key Features required:

1. Touchscreen control interface
2. Customizable control pages and layouts
3. Network-based integration
4. Centralized AV and room automation control
5. Wall-mount installation design
6. Suitable for meeting rooms, boardrooms, and classrooms

4. Video Production System

PTZ Camera

Compact PTZ (pan-tilt-zoom) camera shall be used for professional video production, live streamin g, and remote communication. It should deliver high-quality UHD 4K video. The camera should hav e a 20x optical zoom lens that should offering excellent performance in various lighting conditions . This device should support smooth and precise pan and tilt movements, allowing for comprehensive scene coverage.

In terms of connectivity, this PTZ camera should offer versatile options, including IP streaming for direct broadcasting to platforms like YouTube and Facebook, HDMI output for high-quality video fe eds, and USB connectivity for integration with video conferencing systems. The camera should fac ilitate to be controlled remotely via IP, a dedicated Remote Camera Control application, and through a web interface, providing flexibility for different operational setups. It should be compact and easy to install in various settings, and it supports multiple mounting options, including ceiling, wall, and desktop configurations.



(PTZ Camera)

PTZ Camera requirements

a) **Large field view–** a larger view of the entire studio including presenter, screen, and/or compl ete studio view with pan and tilt function.

b) **Powerful zoom –** with a quick and precise zoom in/out the minute contents of the whiteboard can be captured.

c) **Auto focus –**Ensures that no matter where you pan, tilt or zoom the resulting picture will alw ays be clear.

d) **Simplified install –** easy to install feature with simple plug and play, USB interface reduces t he installation and maintenance costs.

4K professional studio camera

A 4K professional studio camera is a high-performance imaging solution designed for broadcast, li ve production, and premium content creation. It should deliver ultra-high-definition video at 3840 × 2160 resolution, ensuring exceptional clarity, accurate color reproduction, and superior detail fo r studio environments.

The camera should support multiple frame rates for cinematic, broadcast, and streaming applicati ons. It should offer flexible connectivity options such as HDMI, SDI, and IP output for seamless inte gration with switchers, recorders, and live production systems.

It should be equipped with interchangeable lenses to allow creative flexibility, professional audio i nputs, timecode support, and remote control capabilities make it suitable for multi-camera workflo ws.



(Studio camera)

Key Features required:

· Ultra HD 4K video resolution

· High dynamic range and accurate color performance

· Interchangeable lens compatibility

· Multiple professional output options (HDMI / SDI / IP)

· Advanced autofocus and manual control options

· Support for live streaming and broadcast integration

· Durable design for long studio operation

Umbrella Design Lantern Soft box for Photography & Videography

Professional-grade LED video light designed for studio production, photography, broadcasting, and content creation should be used. It should deliver consistent, high-output illumination with adjusta ble brightness and colour temperature, making it suitable for both creative and technical lighting setups.

It should have advanced LED technology, the fixture should ensure flicker-free performance for vi deo recording and live streaming. The adjustable colour temperature should allow users to match ambient lighting conditions or create specific moods. It should have sturdy housing and efficient h eat management system enabling reliable operation during extended sessions.

It should be equipped with dimming controls, a clear digital display for easy adjustments, and com patibility with light stands and mounting accessories.

Key Features required:

· High-output LED illumination

· Adjustable brightness (dimming control)

- Variable colour temperature (Daylight / Bi-colour depending on model)
- Flicker-free operation for video
- Durable metal housing design
- Standard mounting compatibility
- Suitable for studio and location use



(Collapsible Lantern Softbox)

Studio Teleprompter

A Studio Teleprompter is used for delivering speeches, remembering lines, and maintaining direct eye contact with the audience. It should display text off a laptop or monitor onto the transparent b eamsplitter mirror.



(Studio Teleprompter)

5. Media station

A media station is designed for lecture capture, live streaming, and multi-source recording applica tions. It should enable users to record and stream video from multiple input sources simultaneousl y.

The system should support dual video inputs, allowing integration of cameras, presentation content, and other AV sources. It should be capable of recording high-definition video while strea ming live to popular platforms using RTMP protocol. It should have built-in storage and network co nnectivity to provide flexible recording and content management options.

Key Features required:

- Dual video input recording
- Simultaneous recording and live streaming
- HDMI and network connectivity
- RTMP streaming support
- Built-in storage capability
- Web-based control and management
- Suitable for lecture capture and meeting recording



(Media station)

HDMI to USB-C UVC Video Capture

This USB-C to HDMI adapter should provide seamless connection between USB-C enabled devices and HDMI displays. It shall be used for presentations or streaming and should allow to easily conne ct laptop, tablet, or smartphone to TVs, monitors, or projectors, delivering high-quality video and a udio. It should be compact and portable.



(HDMI to USB-C UVC Video Capture)

Key Features required:

- **High-Quality Video Output:** Supports resolutions up to 4K at 30Hz, delivering crisp and vibr ant visuals for an enhanced viewing experience.
- **Plug-and-Play Functionality:** Easy to install with no additional drivers or software required, making it user-friendly for everyone.
- **Durable Design:** Constructed with high-quality materials to ensure longevity and reliable perf ormance.
- **Compact and Lightweight:** Easily fits into your bag or pocket, making it ideal for travel and mobile use.

· **Wide Compatibility:** Works with a variety of USB-C devices, including laptops, tablets, and s martphones, ensuring versatile connectivity.

6. Signal/Power Management

Online UPS


Online UPS shall be used for uninterruptible power supply that should regulate voltage automatica lly. The electrical source is the first line of power; however, an inverter/converter technology allow s for the unit’s battery to be charged throughout normal operations. During an outage, this Uninte rruptible Power Supply (UPS) should convert battery power to AC flow for device delivery.



(Online UPS)

Other Customized integration as per requirement of ABV-III TM, Gwalior

Annexure – B "SPATIAL LAYOUT FOR STUDIO ROOM 23 ft x 23 ft"



The Room should be equipped with:

- 5KVA Online UPS
- Wireless Laple Microphones
- Gooseneck Mic with Stand
- laptop
- ipad
- *Studio Headphone*
- Green Screen
- Tx-Rx

1. **Layout is not to scale**
2. **Actual on-site layout may be modified taking into account preference and/or functional constraints by the bidder in concurrence with the Institute.**

Annexure – C "Schedule of Requirements"

SITC of Equipment		
S/No	**Items**	**Qty**
1	40W Stereo active speaker with Frequency response of 80 Hz - 20 kHz, 2-way 5 ¼" woofer and a ½" high frequency tweeter, Sensitivity @ 1W/1m - 89 dB, Sound Pressure Max. @ 1W/1m - 105 dB or better, Inbuilt Digital Signal Processor, Volume potentiometer, Two-band tone control, Auto-standby mode	2

Cardioid Dynamic Wireless Lapel Microphone system with 300 ft operating range and Microprocessor controlled internal antenna diversity to ensure minimal frequency interference with other microphones in close proximity	1
Cardioid Gooseneck Microphone with desk Stand and Frequency Response - 70-16,000 Hz, Sensitivity (at 1 kHz, open circuit voltage) –33 dBV/Pa[1] (22 mV), Maximum SPL (1 kHz at 1% THD) 120 dB SPL, Dynamic Range 93 dB, Self Noise (equivalent SPL, A-weighted, typical) 27 dB SPL	2
75" Interactive Board Cum Display with Resolution of 3,840 x 2,160, Brightness (Typical) of 350nits, Built-in Screen Mirroring, Contrast Ratio 4000:1(without glass), Viewing Angle (H/V) 178/178, Response 8ms(Typ.), latency 34ms, 2,048 points of screen pressure, Shatterproof protection	1
43" Smart Display with 4K Resolution, 16:9 Aspect ratio, 16 x 7 Duty cycle, In-Plane Switching Panel, 178 x 178 Viewing Angle, ≥250cd/m² Brightness, 1200:1 or better Contrast Ratio with HDMI interface	1
Floor Mount for 75" IFP (Customized)	1
4K OPS i5/8GB/256GB/Win11 or higher (Customized)	1
Digital Smart Mixer with 6 x Mic/Line inputs, 2 x Balanced, 1 x Stereo and 1 x USB Outputs, AEC and 4Band Equalizer, Compressor/De-Esser for each input channel, 8-Band Feedback Suppressor, 12-Band Parametric Equalizer, Compressor and Limiter for each output channel, Selectable Gain-sharing/Gated mode, Audio configurations/settings are adjustable from front panel	1
Advanced 4x1 HDMI multi-view switcher allows up to 4x HDMI 2.0 sources to be output to a single display at the same time, with pre-defined and customisable video layouts, and seamless switching, supports HDMI loop through for all HDMI inputs allowing cascading of original source signals for further distribution, features 2ch PCM and Optical S/PDIF audio breakout, with third party control achievable from the web-GUI, TCP/IP, RS232, IR remote control, of from the front panel buttons	1
Control Processor with High-performance processor embedded with quad-core CPU and 512MB memory for designing and controlling complex projects, USB port for project upload, IR learning function for adding IR device drivers, Supports centralized control and management	1

	Control GUI on Secured OS	1
	10-Port Gigabit Smart Managed PoE Switch	1
4	20X 4K Tracking PTZ Camera with 20x Digital and 20x Optical Zoom, High-speed and high-precision Auto Focus in combination with contrast AF and phase difference AF, External sensor for face detection/tracking for up to 9 faces in frame, 4K compatible 1/2.3 CMOS sensor, Automatic/Manual White balance control, Optical shift image stabilizer, 100 x Presets, Control via LAN/Serial/IR, Support for XC Protocol, RTSP/RTP, NDI|HX, SRT, RTMP/RTMPS	1
	4k Professional Studio Camera with high-quality 4K recording with feature of UVC, 1/5.84cm (2.3in)-type CMOS sensor, optical 20x zoom lens, improved LCD, EVF and USB power supply	1
	Umbrella Design Lantern Softbox for Photography & Videography	2
	150W LED Video Light for Videography & Photography	2
	Green Screen Backdrop with Stand	1
	Studio Teleprompter with 24" Monitor - Height adjustable 3-layer telescopic tripod stand with adjustable camera mount, provision for hiding light exposure, beam slitting mirror 70:30, 24” LED monitor with HDMI input, professional speech prompting software, script controller for starting/stopping the script, increase/decrease script speed and other functionalities	1
	Laptop (i7) (16 GB RAM/512 GB SSD/Windows 11 Home)	1
	Workstation PC-i9/32GB/1TB SSD/12 GB Graphics Card with Windows 11 or Higher [32 " 4K Display/ Wireless Keyboard/ Mouse] for Video Editing	1
	Studio Headphone for Mixing & Monitoring Frequency Range 5 Hz – 25 kHz, **Sensitivity** (at 1kHz) 97 dB/mW or better, Ear-Coupling- Circumaural (Over-Ear), Connector : Gold-plated 3.5 mm (1/8") with 6.3 mm (1/4") adapter	1
	Professional live streaming and video production software , vMix for 4K stream lifetime/perpetual license	1

	Media Station with Video Sources Capturing, mixing, switching, recording, streaming, and backup of 2CH 4K UHD or up to 2CH Full HD video sources, network-based H.264/ H.265 (HEVC) RTMP/RTP/RTSP/SRT, and NDI|HX video sources, supports HDMI, 3.5mm stereo audio, Phoenix balanced audio, USB, NDI|HX, and Dante inputs by 2x2. saving recording videos on the internal 2TB hard drive	1
	Dual HDMI to USB-C UVC Video Capture with mixing and capturing two non-HDCP 4K live videos at 1080P UVC format on PC or mobile device via USB 3.x interface with seamless transition, Android / iOS app-based control, Provides audio mixer with additional dual analog audio inputs	1
	Ceiling/Wall Mount for Camera (Customized)	1
	Cable, Connectors & Accessories should be of established brand	1
	5 KVA Online UPS with minimum 30 min battery backup and pure sine wave output, EMI/RFI Filters, Selectable various output range and operating mode, Cold start function - can be started during power failure, Inbuilt static bypass enhance better protection for critical load, Overload, short-circuit, and overheat protection, Generator Compatibility, IP20 Protection	1
	Surge Protection Device for UPS	1
	10U Equipment Rack (Customized)	1
	HDMI Tx/Rx (Branded)	1
6	**Integration & Programming**	1

SITC of Other Civil and Electrical Components

S/ No	Items	Qty/Area (Sq. ft.)
1	2 Ton Silent Split Air Conditioner with Indoor unit noise level: Max 30 dB(A) at highest speed or better	1

2	1 Ton Silent Split Air Conditioner with Indoor unit noise level: Max35 dB(A) at highest speed or better	1
3	Polyester Fiber Sheet Acoustic Wall Panelling including window (Customized)	912
4	Acoustic False Ceiling [Area Approx. Sq. ft.] (Customized)	529
5	36 W 2×2 LED Panel Ceiling Light	16
6	Drywall or Gypsum board partition (Customized)	372
7	Single Seating Motorized table & Chair (Customized)	1
8	Concealed wiring.	1
9	Fire Extinguisher ball (1.3 kg)	3
10	Wardrobe door with Plywood size????	2
11	2 Seating Computer Desk & Chair (Customized)	1
12	Wooden Sofa - Three-Seater with termite proofing for 5 years.	1
13	Wooden Center Table with termite proofing for 5 years.	1
14	Wall Mount Fan	1
15	Floor Carpeting [Area Approx. Sq. ft.] (Customized)	529
16	Finishing Work including any labour and item as required to complete the task on a turn-key basis.	1

Annexure D - Technical Compliance Sheet

S.N.	Minimum Acceptable Specifications	Compliance (Yes/No)
1.	**Integrated Audio System**	

a) 40W Active Wall Speakers Pair (Qty-2): (Indicate Make/Model No – _____)	
The system should consist of a 2-way active speaker system comprising one active and one passive unit.	
The system include a 5¼" polypropylene cone woofer and a ½" PEI tweeter.	
The system should deliver a dynamic power output of 2 x 40 W and a continuous RMS power output of 2 x 20 W or better	
The system should have a frequency response range of 80 Hz to 20 kHz (±3 dB) or better	
The system should have a standby energy-saving mode that reduces power consumption when no input signal is detected.	
The system should include a recessed mounting bracket for close-to-wall installation, ensuring an optimal cosmetic outlook.	
The system should allow for horizontal, vertical, and corner mounting with an inclination of up to 45° on both sides.	
The system should be ENERGY STAR® compliant.	
The system should have knob-based volume potentiometer and a two-band tone control (treble and bass individually) for user-adjustable sound customization.	
The system should come with a UV-resistant ABS enclosure and a powder-coated steel front grill.	
The system should be constructed to meet international wiring standards for professional audio equipment.	
The OEM must be in existence for over 10 years as on the bid submission date, to ensure proven industry experience and reliability. Relaxation of this clause may be granted as per the extant rules of Government of India.	
The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
Tender-specific OEM Authorization is mandatory; else the bid shall not be considered.	

	b) Wireless Lapel Microphone System (Qty-1): (Indicate Make/Model No – _____)	
	The system should support a single-channel receiver with antenna diversity and selectable group/channel settings and a compatible wireless lapel microphone.	
	The system should have a working range of 91 m line of sight, an audio frequency response of 50 to 15,000 Hz, total harmonic distortion of 0.5% typical (referenced to ±33 kHz deviation with 1 kHz tone), and a dynamic range of 100 dB typical (Aweighted).	
	The bodypack transmitter should have an audio input level with a maximum of -16 dBV and a minimum (0 dB) of +10 dBV, a gain adjustment range of 26 dB, an input impedance of 1 MΩ, an RF transmitter output of 10 mW (typical, varies by region), a	
	molded ABS housing, power requirements of 2 LR6 AA batteries (1.5 V, alkaline), and a battery life of up to 14 hours (alkaline) or better.	
	The microphone capsule for the bodypack should have an electret condenser microphone with a frequency response of 50 to 20,000 Hz	
	The system should have the ability to run up to 12 channels per frequency band.	
	OEM must have service/support center of their own or through any established third party in India for at least last 5 years. Relaxation of this clause may be granted as per the extant rules of Government of India.	
	The OEM must be in existence for over 10 years as on the bid submission date, to ensure proven industry experience and reliability. Relaxation of this clause may be granted as per the extant rules of Government of India.	
	The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
	Tender-specific OEM Authorization is mandatory, else the bid shall not be considered.	
	c) Gooseneck Microphone with desk Stand (Qty-2): (Indicate Make/Model No – _____)	
	The microphone shall be an 18" gooseneck mic with inline pre-amp, mute switch and light-ring.	
	The system shall have a cardioid polar pattern.	

	The system shall have a signal-to-noise ratio of better than 65 dB.	
	OEM must have service/support center of their own or through any established third party in India for at least last 5 years. Relaxation o f this clause may be granted as per the extant rules of Government of India.	
	The OEM must be in existence for over 10 years as on the bid submi ssion date, to ensure proven industry experience and reliability. Rel axation of this clause may be granted as per the extant rules of Gov ernment of India.	
2.	**Display System**	
	a) 75" UHD Interactive Board Cum Display (Qty-1): (Indicate Make/Model No – _____)	
	Display Diagonal Size: 75"; Panel Type: VA; Resolution: 3,840 x 2,160; Pixe l Pitch (HxV): 0.42975 x 0.42975 (mm) approx; Brightness (Typical): 350cd/m2 (2 20cd/m2 with glass); Contrast Ratio: 4000: 1(without glass); Viewing Angle (H/V): more t han 170/170; Response Time: 8ms; Colour Gamut: 72%; Glass Haze : 2%(without glass); H-Scanning Built-in Operating System: Android 13.0 or newer, Certified on OEM Name, verifiable online Processor: ARM Cortex-A55 Quadcore 1.55 Ghz or better, RAM: 8 GB or more, S torage128 GB on board or more	
	Frequency: 30~81khz; Maximum Pixel Frequency: 594Mhz; V-Scann ing Frequency: 48~75hz; Operation Time Support: 16/7	
	Connectivity HDMI In: 2; DP In: 1; USB: 2(Main/Tray), 2.0/3.0 External(Tray); Audi o Out: Stereo Mini Jack; Video Out: Yes; RS232 In: Yes; RJ45 In: Yes; WiFi: Yes; Bluetooth: Ye s	
	Power Supply: AC100-240V 50/60Hz; Power Consumption (On Mode): 275W; Power Consumption (Sleep Mode): 0.5W	
	Operation Conditions Temperature: 0°c~40°c; Humidity: 10 ~ 80%, non-condensing	
	Optional Feature Touch: Yes; Touch Technology: IR	

	Mini PC/OPS	
	Core Intel i5, 8 GB RAM, 256 SSD, Windows 11 or higher	
	OPS Ports (min): USB Type-C X 1, HDMI X 1, DPX 1, USB 3.0 X4, USB 2.0 X 2, LAN Port X 1, Mic In X 1, Line Out X 1, Power Button x 1	
	Tender Specific OEM Authorization is mandatory else the bid will not be considered	
	b) 43" Confidence Monitor (Qty-1): (Indicate Make/Model No – _____)	
	Size: 43"	
	Panel Type: IPS Panel / D-LED	
	Aspect Ratio: 16:9	
	Resolution: 3840x2160 pixels or UHD	
	Brightness: ≥250cd/m²	
	Viewing Angle (H/V): 178/178	
	Refresh rate: 50Hz or higher	
	c) Wall Mount for 75" IFP (Qty-1):	
3.	**Control System**	
	a) Digital Smart Mixer (Qty-1): (Indicate Make/Model No – _____)	
	The system should have six mic/line inputs and one unbalanced stereo input.	
	The system should have two balanced outputs and one unbalanced stereo output.	
	The system should feature selectable gain sharing or gate mode functionality.	
	The system should feature a high-performance AEC on each input channel.	

	The system should feature assignable noise cancellation on any out put channel.	
	The system should have a built-in 4-band equalizer, compressor, an d de-esser on each input channel.	
	The system should feature eight 8-band feedback suppressors assig nable to mic/line inputs and any output channel.	
	The system should have a built-in 12-band parametric equalizer, co mpressor, and limiter on each output channel.	
	The system should feature audio input and output settings configur able from front panel without the need for a computer.	
	The system should support external remote control using Internet Pr otocol (IP).	
	The system should have a maximum gain of 60 dB or better.	
	The system should have a dynamic range of 110 dB or higher and si gnal-to-noise ratio of 90 dB or higher, A-weighted stereo.	
	The system should have a headroom of 20 dB or higher.	
	The system should have phantom power capability providing +48V DC.	
	The system should feature a pad attenuation level of -24 dB.	
	The system should support IP-based remote control via a single RJ-4 5 port and a communication speed of 100 Mbps.	
	The system should support USB Type B connectivity with one stereo input and one stereo output channel, operating at 24-bit resolution and high-speed 480 Mbps communication.	
	The system should feature a 24-bit analog-to-digital and digital-to-a nalog converter with a dynamic range of 115 dB.	
	The OEM must have their own established service/support center in India for a minimum period of last 5 years for effective service supp ort system during warranty and AMC periods. Relaxation of this clau se may be granted as per the extant rules of Government of India.	
	The OEM must be in existence for over 10 years as on the bid submi ssion date, to ensure proven industry experience and reliability.	

The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
Tender-specific OEM Authorization is mandatory, else the bid shall n ot be considered.	
b) 4-Channel Multiview HDMI Switcher (Qty-1): (Indicate Ma ke/Model No – _____)	
The system should support up to four HDMI 2.0 sources simultaneou sly displayed on a single HDMI output using predefined multi-view la youts such as PiP, PbP, PoP, dual, triple, and quad, with additional c ustom layout capability.	
The system should have individual HDMI loop-through outputs for e ach input to enable cascading or local display of source signals.	
The system should have RS-232 control, with comprehensive comm and set for power, input/output control, status reporting, and trigger commands.	
The system should support video downscaling and HDR-to-SDR con version on its output stream.	
The system should support seamless switching between inputs to a void blanking or dropout during source changes.	
The system should support HDMI 2.0 bandwidth up to 18Gbps, 4K@ 60 Hz, 4:4:4 color sampling, and full HDR metadata handling.	
The system should accept all standard video resolutions from VGA t hrough WUXGA and interlaced formats up to 4K.	
The system should support extraction and embedded output of all c ommon HDMI audio formats including Dolby Atmos, Dolby TrueHD, Dolby Digital Plus, and DTS-HD Master Audio.	
The system should include audio breakout capabilities: optical S/PDI F plus balanced/unbalanced analog stereo.	
The system should include advanced EDID management with individ ual per-input EDID selection, copy-from-loop outputs, and support fo r custom EDID upload.	
The system should support custom layout design through the web G UI, including pixel-level control of window positions, sizes, layers, as pect ratio maintenance or alteration, with ability to save up to eight presets.	

The system should support advanced settings via web GUI: DHCP/static IP configuration, Telnet/TCP port setup, enable/disable front-panel/IR/beep functions, auto-switching triggers including TMDS or 5 V, fallback input, layout selection modes, trigger conditions, and timeout behavior.	
The system should support firmware upgrades for both main control and web GUI modules via micro-USB and network-based uploads.	
The OEM must have their own established service/support center in India for a minimum period of last 5 years for effective service support system during warranty and AMC periods. Relaxation of this clause may be granted as per the extant rules of Government of India.	
The OEM must be in existence for over 10 years as on the bid submission date, to ensure proven industry experience and reliability. Relaxation of this clause may be granted as per the extant rules of Government of India.	
The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
Tender-specific OEM Authorization is mandatory, else the bid shall not be considered.	
c) Control Processor (Qty-1): (Indicate Make/Model No – _____)	
The system should have a quad-core CPU and 512 MB memory to support real-time response and status updates for complex, high-loading events.	
The system should have a 1 Gbps LAN port to ensure high-speed network connectivity; USB port for easy project upload.	
The system should have 1 x programmable bi-directional RS-232/422/485 port with configurable pin assignments, supporting baud rates from 300 to 115200, data bits 7 or 8, stop bits 1 or 2, parity none, even, or odd, and flow control none or RTS/CTS.	
The system should have 4 x relay channels with a contact rating of 30 VDC, 1 A.	
The system should have 2 x digital input/output channels with a voltage range of 0 to 5 VDC.	
The system should support network protocols including TCP, UDP, Telnet, HTTP and,HTTPS..	

	The system should support centralized control and management via a compatible centralized management platform.	
	The system should have a web GUI for easy system configuration.	
	The system should include an IR learning function for adding IR devi ce drivers; backup to prevent data loss.	
	The system should include 2 perpetual licenses for mobile control ap plications.	
	The system should be capable of being deployed into existing install ation environments seamlessly.	
	The system should provide multiuser access control to connected de vices.	
	The OEM must have their own established service/support center in India for a minimum period of last 5 years for effective service supp ort system during warranty and AMC periods. Relaxation of this clau se may be granted as per the extant rules of Government of India.	
	The OEM must be in existence for over 10 years as on the bid submi ssion date, to ensure proven industry experience and reliability. Rel axation of this clause may be granted as per the extant rules of Gov ernment of India.	
	The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
	Tender-specific OEM Authorization is mandatory, else the bid shall n ot be considered.	
	d) Control GUI on Secured OS (Qty-1): (Indicate Make/Model No – _____)	
	e) 10-Port Gigabit Smart Managed PoE Switch (Qty-1):	
4	**Video Capture System**	
	a) 20X 4K Tracking PTZ Camera (Qty-1): (Indicate Make/Mod el No – _____)	
	The camera should be a 4K PTZ Camera.	
	The system should have a 1/2.3-inch single-plate CMOS sensor with approximately 21.14 megapixels total and approximately 8.29 meg apixels effective resolution.	

The system should have a 20x or better optical zoom lens with a focal length range of 3.67– 73.4 mm and an aperture of F/1.8–2.8, equivalent to approximately 29.3–601 mm at 29.97/25.00/23.98 Hz and approximately 30.5–627 mm at 59.94/50.00 Hz.	
The system should have a minimum focusing distance of 1 cm at full wide angle and 60 cm throughout the zoom range.	
The system should have a shutter speed range from 1/6 to 1/2000 seconds, depending on frame frequency and frame rate.	
The system should have manual and automatic aperture control.	
The system should have a gain range from 0.0 dB to 36 dB or more.	
The system should have a built-in motor-operated ND filter with a maximum of 1/8 gradation.	
The system should support white balance modes including Auto (AWB), Set A, Set B, preset settings (daylight: 5,600 K, tungsten lamp: 3,200 K), and manual color temperature setting from 2,000 K to 15,000 K.	
The system should have focus modes including Manual, Continuous AF, Face AF, and Tracking, utilizing Hybrid AF and Contrast AF types.	
The system should support gamma settings of Normal 1 (Standard) and Normal 3 (BT.709).	
The system should have an optical-shift image stabilizer.	
The system should have a minimum subject illumination of approximately 1.5 lux at 1/30 sec shutter speed and 59.94 Hz frame frequency in Programmed AE shooting mode with Auto Slow Shutter On.	
The system should have a pan range of ±170° with a pan speed of 0.2° to 300°/sec.	
The system should have a tilt range from -30° to +100° with a tilt speed of 0.2° to 180°/sec.	
The system should support HDMI video output at resolutions of 3840 x 2160 (29.97P, 25.00P, 23.98P), 1920 x 1080 (59.94P/59.94i, 50.00P/50.00i/25.00P, 29.97P/23.98P), and 1280 x 720 (59.94P, 50.00P), all in 4:2:2 10-bit format.	

The system should support IP streaming at various resolutions and f rame rates, including 3840 x 2160, 1920 x 1080, 1280 x 720, and 6 40 x 360, with frame frequencies of 59.94 Hz, 50.00 Hz, 29.97 Hz, 2 5.00 Hz, and 23.98 Hz, all in 4:2:0 8bit format.	
The system should support USB video output in Motion JPEG format at resolutions of 1920 x 1080, 1280 x 720, and 640 x 360, with fra me rates of 30.00 fps, 15.00 fps, and 5.00 fps at 59.94 Hz, and 25.0 0 fps, 12.50 fps, and 5.00 fps at 50.00 Hz.	
The system should support USB video output in YUV format at a res olution of 640 x 360, with frame rates of 30.00 fps, 15.00 fps, and 5 .00 fps at 59.94 Hz, and 25.00 fps, 12.50 fps, and 5.00 fps at 50.00 Hz.	
The system should support control protocols including RTMP, NDI|HX , and SRT.	
The system should support UVC (USB Video Class) for use as a USB camera.	
The system should support a free lite version of the Auto Tracking a pplication, providing smooth and precise auto tracking experience w ithout advanced customizations.	
The system should support remote operation via Remote Camera C ontrol Application for Windows and macOS, allowing for camera control wh ile viewing the image, and supporting features like auto tracking an d auto loop.	
The OEM must have their own established service/support center in India for a minimum period of last 5 years for effective service sup port system during warranty and AMC periods. Relaxation of this cla use may be granted as per the extant rules of Government of India .	
The OEM must be in existence for over 10 years as on the bid submi ssion date, to ensure proven industry experience and reliability. Rel axation of this clause may be granted as per the extant rules of Gov ernment of India.	
The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
Tender-specific OEM Authorization is mandatory, else the bid shall n ot be considered.	

b) 4k Professional studio camera (Qty-1): (Indicate Make/Model No – _____)	
The system should have a 1/2.3-inch CMOS sensor with a total pixel count of approximately 21.14 megapixels and effective pixels of approximately 8.29 megapixels (3840 x 2160).	
The system should have an RGB primary color filter.	
The system should support a subject illumination range from approximately 0.3 lux to 100,000 lux.	
The system should have a minimum illumination of approximately 4.2 lux in Program AE mode (shutter speed 1/25 sec with auto slow shutter on) and approximately 0.3 lux in Low Light mode (shutter speed 1/2 sec).	
The system should support recording in 4K UHD (3840 x 2160) at 25P and Full HD (1920 x 1080) at 50P with YCC 4:2:0 color sampling.	
The system should support recording file formats of XF-AVC (8-bit) and MP4 (8bit).	
The system should have a 20x optical zoom lens with a focal length equivalent to approximately 29.3mm to 601mm in 4K UHD and approximately 30.5mm to 627mm in Full HD.	
The system should have an aperture with 8 blades.	
The system should have an optical image stabilizer with electronic correction.	
The system should have a 3.5-inch (approximately 8.89 cm) LCD capacitive touch screen with approximately 2.76 million dots.	
The system should have a 0.36-inch (approximately 0.91 cm) OLED tilting electronic viewfinder with approximately 1.77 million dots.	
The system should have a hybrid autofocus system.	
The system should have dual SD card slots supporting simultaneous recording.	
The system should support USB Type-C output for live streaming via PC.	
The system should support USB power supply (PD-E1).	

The system should have an on-screen display (OSD) recording functi on.	
The system should have 5-axis optical image stabilization.	
The system should support UVC (USB Video Class) for streaming.	
The system should support optional battery types BP-820 and BP-828.	
The product must not be manufactured in a country sharing land bo rder with India. Country of Origin compliance to this effect, must be attached with the bid.	
The OEM must have their own established service/support center in India for a minimum period of last 5 years for effective service supp ort system during warranty and AMC periods. Relaxation of this clau se may be granted as per the extant rules of Government of India.	
The OEM must be in existence for over 10 years as on the bid subm ission date, to ensure proven industry experience and reliability. Rel axation of this clause may be granted as per the extant rules of Gov ernment of India.	
The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
Tender-specific OEM Authorization is mandatory, else the bid shall n ot be considered.	
c) Umbrella Design Lantern Softbox for Photography & Vide ography (Qty-2)	
d) 150W LED Video Light for Videography & Photography (Qt y-2) . The light should be compatible with video recording and cam era flickering should not happen under full lighting conditions with C RI of 95+ and a TLCI of 96+	
e) Green Screen Backdrop with Stand (Qty-1)	
f) Studio Teleprompter with 24" Monitor (Qty-1): (Indicate Make/Model No – _____)	
The system should be a state-of-the-art studio teleprompter solution designed to enable speakers to deliver scripted content while maint aining eye contact with the audience or camera.	

The system should feature an electronic prompting mechanism that scrolls text on a specially designed glass surface mounted in front of the camera.	
The system should allow users to control script flow including pause, resume, and question handling functions.	
The system should support adjustable scrolling speed according to u ser convenience.	
The system should support Rich Text Format (RTF), Unicode, and st andard text file formats.	
The system should feature text formatting options similar to Microso ft Word and	
support all standard TrueType fonts.	
The system should support multiple languages including Indian and international languages.	
The system should support dual monitor display functionality to ena ble content display on a secondary monitor.	
The system should support keyboard and mouse control for prompti ng operations.	
The system should feature mirrored and un-mirrored prompting opti ons.	
The system should support forward and reverse scrolling functions.	
The system should have a 24-inch monitor for script display.	
The system should feature a highly polished, anti-reflective, and cle ar prompter mirror glass.	
The system should have a professional height-adjustable and glass-adjustable stand with a robust monitor base.	
The system should be compatible with multimedia computer system s for operation.	
The system should eliminate the need for cue cards, index cards, an d printed notes during presentations.	

The system should enable presenters to maintain consistent deliver y and speech fluency.	
The system should feature user-friendly management software for e fficient interaction between user and system.	
The system should include a minimum three-year warranty.	
The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
Tender-specific OEM Authorization is mandatory, else the bid shall n ot be considered.	
g) Laptop (i7) (16 GB RAM/512 GB SSD/Windows 11 Home) (Qty-1): (Indicate Make/Model No – _____)	
h) Workstation PC-i9/32GB/1TB SSD/12 GB Graphics Card with Windows 11 or Higher [32 " UHD Display/wireless Key board/Mouse] for Video Editing (Qty-1): (Indicate Make/M odel No – _____)	
i) Studio Headphone for Mixing & Monitoring (Shure) Fre quency Range 5 Hz – 25 kHz, **Impedance** (at 1kHz) 40 Ω or better, **Sensitivity** (at 1kHz) 97 dB/mW or better, Ear-Coupling- Circumaural (Over-Ear), Connector : Gold-plate d 3.5 mm (1/8") with 6.3 mm (1/4") adapter	
Professional live streaming and video production software , vMix for 4K stream lifetime license	
k) Media Station (Qty-1): (Indicate Make/Model No – _____)	
The system should be an all-in-one media station capable of capturi ng, mixing, switching, recording, streaming, and backing up to two channels of 4K Ultra High Definition (UHD) or two channels of Full Hi gh Definition (FHD) video sources.	
The system should support Universal Serial Bus (USB) audio and vid eo input devices.	
The system should feature program (PGM) recording up to 4K Ultra High Definition at 30 frames per second with integrated internal stor age.	
The system should support Dante digital audio networking, Network Device Interface High Efficiency (NDI|HX), and Secure Reliable Trans port (SRT) streaming protocols.	

The system should have two High-Definition Multimedia Interface (HDMI) video input ports.	
The system should have two RJ-45 Ethernet ports supporting network cameras or Internet Protocol (IP) streaming sources for up to two channels.	
The system should have three USB 3.0 ports supporting Universal Video Class (UVC) compliant devices.	
The system should support network-based H.264 and H.265 (High Efficiency Video Coding – HEVC) protocols including Real-Time Messaging Protocol (RTMP/RTMPS), Real-Time Transport Protocol (RTP), Real-Time Streaming Protocol (RTSP), NDI|HX, and Secure Reliable Transport (SRT) push mode.	
The system should support a maximum of two synchronized video input channels.	
The system should support HDMI video input resolutions ranging from 480i up to 2160p60, IP streaming inputs up to 2160p30, and USB video inputs up to 2160p30.	
The system should have audio input interfaces including a 3.5 mm stereo microphone input, a 3.5 mm stereo line input, two HDMI audio inputs, one balanced audio input via a 5-pin Phoenix connector, one USB audio input compliant with Universal Audio Class (UAC), and two RJ-45 ports supporting digital audio input including Dante 2x2.	
The system should support video compression formats H.264 and H.265 (HEVC) with a maximum frame rate of 30 frames per second at 4K Ultra High Definition and 60 frames per second at Full High Definition.	
The system should support a configurable video bit rate range from 300 Kbps to 32 Mbps.	
The system should support a maximum recording resolution of 4K Ultra High Definition (3840 × 2160).	
The system should support Advanced Audio Coding – Low Complexity (AAC-LC) audio compression with a bit rate range from 80 Kbps to 320 Kbps.	

The system should have video output interfaces including one HDMI loop-out port supporting up to 4K Ultra High Definition, one HDMI pr eview output supporting up to 1080p with graphical user interface di splay, one HDMI display output supporting up to 4K Ultra High Defini tion for single or multi-source monitoring, and one DisplayPort (DP) output supporting up to 1080p.	
The system should support digital video output over Ethernet via RJ-45 supporting H.264 and H.265 (HEVC) RTMP, RTMPS, RTP, RTSP, N DI|HX, and SRT protocols with up to one channel of 2160p at 30 fra mes per second.	
The system should have audio output interfaces including one 3.5 m m stereo line output, two HDMI outputs, one DisplayPort output, and one RJ-45 port supporting Dante digital audio.	
The system should support streaming output protocols including RT P, RTMP (RTMPS), RTSP, NDI|HX, SRT, and Dante Audio.	
The system should feature a streaming delay of approximately one second.	
The system should have built-in local storage of 2 TB utilizing a SAT A hard disk drive and support MP4 file format for locally stored recordings.	
The system should support automatic backup and upload of recordi ngs to File Transfer Protocol (FTP), Secure File Transfer Protocol (SFTP), Network Attached Storage (NAS), and cloud storage platfor ms.	
The system should support compatibility with third-party video man agement systems including Opencast, Panopto, and Kaltura.	
The system should support external storage recording via USB drive s and Network Attached Storage (NAS).	
The system should feature recording modes including mixed mode a nd one mixed plus two individual original source recording mode.	
The system should support scheduled recording using iCalendar (.ic s) format integration.	
The system should feature automatic and manual bookmark insertio n during recording.	
The system should feature customizable recording layouts adjustabl e through layout editor software.	

The system should feature support for user-uploaded background images, overlay images, text titles, and customizable themes for live production.	
The system should support live broadcasting to Content Delivery Networks (CDNs) or streaming servers via RTMP (RTMPS) protocol to up to two platforms simultaneously.	
The system should feature a built-in web-based video manager platform for video information editing and management.	
The system should support control via a web-based graphical user interface, mobile web-based mini controller, USB mouse and numeric keypad, RS-232 interface, and front-panel control buttons.	
The system should support camera control protocols including VISCA, PELCO-D, PELCO-P, VISCA over IP, ONVIF Profile S, and NDI.	
The system should operate on an embedded Linux operating system.	
The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
Tender-specific OEM Authorization is mandatory, else the bid shall not be considered.	
l) Dual HDMI to USB-C UVC Video Capture (Qty-1): (Indicate Make/Model No – _____)	
The system should support mixing and capturing two unencrypted 4K video sources at 1080p UVC format via USB 3.x interface with seamless transitions.	
The system should have two HDMI Type-A female inputs for video sources.	
The system should have one HDMI Type-A female output for program video monitoring.	
The system should have one USB 3.x Gen1 Type-B male port for connection to host devices, with included USB-B to USB-C and USB-B to USB-A cables.	
The system should support video input resolutions of 720p50/60, 1080p24/25/30/50/60, and 2160p24/25/30.	

The system should support program video output resolutions of 720 p50/60 and 1080p24/25/30/50/60 when UVC capture is enabled.	
The system should support program video output resolutions of 720 p50/60, 1080p24/25/30/50/60, and 2160p24/25/30 when UVC captu re is disabled.	
The system should support uncompressed 1080p60 and 720p60 UV C video streams with UAC audio over USB 3.x connections.	
The system should have one balanced analog audio input via XLR co nnector.	
The system should have one unbalanced analog audio input via RCA connectors.	
The system should support 16-bit PCM audio sampling at 44.1 KHz a nd 48 KHz.	
The system should include an audio mixer for managing multiple au dio inputs.	
The system should support real-time HDMI program video preview.	
The system should support chroma key functionality for background replacement.	
The system should be controllable via an Android or iOS application, allowing setup and direction of video production remotely.	
The system should support a Multi-Crop function, enabling users to crop multiple images from connected HDMI inputs, resize, and inser t them into different scenes.	
The system should support a Remote Deck function, allowing custo mization of up to 18 hotkey buttons to control streaming software in stalled on the host device.	
The system should support protected video switching mode for regular event usage.	
The system should be compatible with USB and Thunderbolt 3 (USB-C) interfaces.	
The system should support Windows 10 or above, macOS X 10.13 or later, Android 5.x or later, and iOS 10.1 or later operating systems.	

	The system should require a minimum hardware configuration of Int el i3 Dual Core 2.8 GHz CPU or higher, 4 GB RAM or more, and a USB-C or USB-A int erface on PC/Mac; and an Android device with UVC support and USB -C interface for smartphones.	
	The system should utilize Bluetooth Low Energy (BLE) technology fo r connection with mobile devices.	
	The OEM must have their own established service/support center in India for a minimum period of last 5 years for effective service supp ort system during warranty and AMC periods. Relaxation of this clau se may be granted as per the extant rules of Government of India.	
	The OEM must be in existence for over 5 years as on the bid submis sion date, to ensure proven industry experience and reliability. Rela xation of this clause may be granted as per the extant rules of Gove rnment of India.	
	The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
	Tender-specific OEM Authorization is mandatory, else the bid shall n ot be considered.	
	m) Ceiling/Wall Mount for Camera (Qty-1)	
5.	**Signal/Power Management**	
	a) 5 KVA Online UPS with 30-45 min battery backup (Qty-1): (Indicate Make/Model No – _____)	
	POWER:5KVA /4000W	
	INPUT Input System: Single Phase & Earth Ground; Rated Voltage:230V AC ; Voltage Range:120V to 300V (0- 50% load),170V to 280V (100% load); Frequency:50 / 60 Hz +/-5 Hz (Auto Sensing); Power Factor:> 0.99; Voltage Range of B ypass: 230V AC + 10 % (Adjustable); Output System: Single Phase & Earth Ground	

OUTPUT Rated Voltage:220 / 230 /240V AC (+/-1%); Power Factor:0.8; Waveform: Pure Sinewave; Distortion: < 3%; Efficiency: >90%; Frequency: 50 Hz +/- 0.1% (free run mode); Battery Mode Frequency: 50 Hz + 0.1 Hz; Inverter Overload Capacity: 110% for 5 minutes / 150% for 5 second; Distortion: <2% on Linear Load, <6% on NonLinear Load	
BATTERY Transfer Time: 0 ms (Normal mode to Battery mode), 4ms (Inverter mode to Bypass mode); Crest Factor: 3 : 1; Batteries Voltage: 24 V DC / 36 V DC / 72 V DC / 96 V DC / 192 V DC / 240V DC; Charger Capacity: 10% of battery AH rating; Backup Time: 10-15 Minutes; Battery Charge Time: Charger to 90 % Battery Capacity in 3 Hours (Standard); Interface Port(s): RS232 + USB (Optional); Optional Cards: SNMP Adaptor	
COMMUNICATE & INTERFACE LCD Display: Information for Load / Battery / Input / Output / Operating Mode; Audible Alarm: Actively Audible Alarm for Utility Failed / Battery Low / Overload Condition; Indications: Load Level, Battery Level, AC Mode, Battery Mode, Bypass Mode and Fault Indicators; EPO: Yes	
ENVIRONMENTAL Noise Level: <58dB @ 1 Meter; Operating Temp. Range; Protection: IP 20; Relative Humidity: 0 ~ 95 % Humidity, Non - Condensing; Operating Elevation: 2 ,000 Meters	
The OEM must have their own established service/support center in India for a minimum period of last 5 years for effective service support system during warranty and AMC periods. Relaxation of this clause may be granted as per the extant rules of Government of India.	
The OEM must be in existence for over 10 years as on the bid submission date, to ensure proven industry experience and reliability. Relaxation of this clause may be granted as per the extant rules of Government of India.	

The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
Tender Specific OEM Authorization is mandatory else the bid will not be considered.	
b) Surge Protection Device for UPS (Qty-1) (Indicate Make/Model No – _____)	
c) 10U Equipment Rack (Qty-1) with lockable glass door and 6Amp PDU having at least 5 sockets along with wall mounting kit.	
d) 4K HDMI TX/RX (Qty-1): (Indicate Make/Model No – _____)	
The system should extend HDMI signals over a single Cat 5e/6/6a cable up to 60 meters or more.	
The system should support HDMI features including 3D, Deep Color, and 4K image resolutions.	
The system should be compliant with HDCP 2.2 standards.	
The system should support audio formats such as Dolby Digital 5.1 and DTS HD.	
The system should deliver superior video quality up to 4K at 35 meters using Cat 5e/6 cables, and up to 4K at 30 meters or more using Cat 6a cables.	
The system should support 1080p resolution at 60 meters over Cat 5e/6 cables, and up to 60 meters or more over Cat 6a cables.	
The system should be equipped with a maximum data rate of 10.2 Gbps (3.4 Gbps per lane).	
The system should have a maximum pixel clock of 340 MHz.	
The system should include HD BaseT anti-jamming technology to resist signal interference during high-quality video transmission.	
The system should support Consumer Electronics Control (CEC) for integrated control of connected devices.	
The system should feature EDID management to configure optimum EDID settings for smooth power-up and high-quality display.	

	The system should have plug-and-play functionality for easy setup without the need for software installation.	
	The system should be rack-mountable for flexible installation option s.	
	The system should have one HDMI Type A female input and one HD MI Type A female output interface.	
	The system should use one RJ-45 female connector for unit-to-unit c onnection.	
	The system should have a DC jack with locking for power connection .	
	The system should consume DC 5V with power consumption of 4.24 W for the transmitter and 1.86 W for the receiver.	
	The OEM must have their own established service/support center in India for a minimum period of last 5 years for effective service supp ort system during warranty and AMC periods. Relaxation of this clau se may be granted as per the extant rules of Government of India.	
	The OEM must be in existence for over 5 years as on the bid submis sion date, to ensure proven industry experience and reliability. Rela xation of this clause may be granted as per the extant rules of Gove rnment of India.	
	The bidder must attach relevant data-sheets/technical literature to ensure validation of the specifications.	
	Tender-specific OEM Authorization is mandatory, else the bid shall n ot be considered.	
	Cable Connectors as per requirement	
6	**Site Preparation Work**	
	a) 2 Ton Split Air Conditioner (Qty-1) (Indicate Make/Model No – _____)	
	3 Star 2 Ton Split Air Conditioner with approximately 24,000 BTU/hr cooling capacity. Operates on 230/240V, 50/60H, utilizes appropriat e refrigerant, and provides energy-efficient cooling with standard co mfort and air filtration features. with Indoor unit **noise level**: Max 3 0 **dB**(A) at highest speed	
	b) 1 Ton Split Air Conditioner (Qty-1) (Indicate Make/Model No – _____)	

3 Star 1 Ton Split Air Conditioner with approximately 12,000 BTU/hr cooling capacity. Operates on 230/240V, 50/60H, utilizes appropriat e refrigerant, and provides energy-efficient cooling with standard co mfort and air filtration features. with Indoor unit **noise level**: Max 3 5 **dB**(A) at highest speed	
c) Polyester Fiber Sheet Acoustic Wall Paneling including wi ndow [Area Approx. 912 Sq. ft.]	
Material: 100% Polyester fiber; Minimum Noise reduction coefficient (NRC): 0.6; Minimum thickness: 8 mm; Availability of multiple edge profiles; Odour and dust free; Non-allergenic, and non-irritant proper ties; Moisture proof; Non-visible binding with substrate; Texture to b e pre-approved with the buyer representative.	
d) Acoustic False Ceiling [Area Approx. 529 Sq. ft.]	
For installation in the main room - Form Factor: Square; Size: 2 x 2 F t; Colour: White; Sound Absorption: High NRC; Material: Gypsum; Arrangemen t Pattern: Linear grid; Finish: Matte	
e) 36 W 2×2 LED Panel Ceiling Light (Qty-16)	
3600 lm Typical Lumens, Housing Material & Profile: CRCA powder c oated; Rated input voltage: 220 V - 240 V AC; Non-Dimmable; Form factor: 2 x 2 ft square; Non dimmable, Mounting Arrangement: Rece ssed; Life: Upto 30,000 Hours; Start Up Time: Instant; In-built surge protection	
f) Drywall or Gypsum board partition [Area Approx.372 Sq. f t.]	
Drywall/Gypsum Board Partition comprising gypsum boards mounte d on galvanized steel stud and track framework, providing a lightwei ght, durable, and cost-effective solution for interior spaces.	
g) Single Seating Motorized table & Chair (Qty-1)	
Single Seating Motorized Table with Chair comprising an electrically height-adjustable workstation and ergonomic seating arrangement, designed to provide user comfort, flexibility, and efficient workspac e utilization for educational, commercial, and professional environm ents.	
h) Concealed Wiring. (Qty-1)	

	Concealed Wiring comprising insulated electrical cables drawn through concealed PVC conduits embedded within walls, ceilings, or floors, ensuring safe, reliable, and aesthetically integrated power di stribution in accordance with relevant electrical standards.	
	i) Fire Extinguisher ball (1.3 kg) (Qty-3)	
	Fire Extinguisher Ball (1.3 kg min.) containing dry chemical fire supp ression agent, activation time ~ 3-10 Sec, designed for automatic a ctivation upon exposure to flame, providing rapid extinguishing of in cipient fires and enhancing fire safety in residential, commercial, an d industrial environments	
	j) Wardrobe Covering with Plywood (Qty-2) DIMENSIONS	
	Wardrobe Covering with Plywood comprising the installation of quali ty plywood panels over the wardrobe structure to provide a durable, smooth, and aesthetically finished surface suitable for laminate, ven eer, paint, or other decorative finishes.	
	k)2 Seating Computer Desk & Chair (Qty-1)	
	2-Seating Computer Desk & Chair comprising a dual-user workstatio n with a durable desk and two ergonomic mid back chairs, designed to provide comfortable seating, efficient workspace utilization, and support for computer-based tasks in educational, commercial, and p rofessional environments.	
	l) Wood Sofa - Three-Seater (Qty-1)	
	Wood Sofa – Three-Seater comprising a robust wooden frame with c ushioned seating and backrest, designed to provide comfortable sea ting for three persons in residential, commercial, and institutional e nvironments. A 5-year termite-proofing to be provided.	
	m) Wooden Center Table (Qty-1)	
	Wooden Center Table comprising a durable wooden or engineered wood structure with a finished top surface, designed to provide a fu nctional and aesthetically pleasing centerpiece for residential, com mercial, and institutional seating areas. A 5-year termite-proofing to be provided.	
	n) Wall Mount Fan (Qty-1)	
	Wall Mount Fan with fixed bracket comprising an electrically operated, 400 mm Sweep Size, wall-mounted air circulation unit wit h adjustable speed and oscillation functions, 3 x Blades made of PP/ ABS Plastic, Speed control via pull cord.	

	o) Floor Carpeting [Area Approx. Sq. 529 ft.]	
	Floor leveling and preparation for carpet laying; Providing and fixing of carpeting end-to-end with fixation of grippers wherever necessar y; Pattern and shade of carpeting to be pre-approved by the client p rior to installation	

Appendix-1

TENDER ACCEPTANCE LETTER

(To be given on Bidder's Letter Head)

Date:

To,

The Director,

ABV-IIITM, Morena Link Road,

Gwalior, Madhya Pradesh – 476015

Sub: Acceptance of Terms & Conditions of Tender.

Bid/Tender Reference No:

Name of Bid/Tender / Work: -

Dear Sir,

1. I/ We have downloaded / obtained the tender document(s) for the above mentioned 'Tender/Work' from the web site(s) namely: as per your advertisement, given in the above mentioned website(s).

2. I / We hereby certify that I / we have read the entire terms and conditions of the tender docum

ents from Page No. to (including all documents like annexure(s), schedule(s), etc.,), which form part of the contract agreement and I / we shall abide hereby by the terms / conditions / clauses contained therein.

3. The corrigendum(s) issued from time to time by your department/ organisation too have also been take n into consideration, while submitting this acceptance letter.

4. I / We hereby unconditionally accept the tender conditions of above-mentioned tender document(s) / cor rigendum(s) in its totality / entirety.

5. I / We do hereby declare that our Firm has not been blacklisted/ debarred/ terminated/ banned by any G ovt. Department/Public sector undertaking.

6. I / We certify that all information furnished by our Firm/Bidder is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/ organisation shall wit hout giving any notice or reason therefore or summarily reject the bid or terminate the contract, without pr ejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolut ely.

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

Appendix-2

Certificate for Tender

(To be given on Bidder’s Letter Head)

Date:.....

To,

The Director,

ABV-IIITM, Morena Link Road,

Gwalior, Madhya Pradesh – 476015

Sub: Certificate of compliance as per Rule 144 (xi) GFR’s 2017

Bid/Tender Reference No: .....

Name of Bid/Tender / Work:.....

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a la nd border with India; I certify that this bidder is not from such a country or, if from such a country, has bee n registered with the Competent Authority. I hereby certify that this bidder fulfils all requirements in this r egard and is eligible to be considered. [Where applicable, evidence of valid registration by the Competent Authority shall be attached.]"

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

Appendix-3

Declaration for Local Content

(To be given on Bidder Letter Head)

Date:.....

To,

The Director,

ABV-IIITM, Morena Link Road,

Gwalior, Madhya Pradesh – 476015

Sub: Declaration of Local content

Bid/Tender Reference No: .....

Name of Bid/Tender / Work:.....

1. Country of Origin of Goods being offered:.....

2. We hereby declare that items offered has % local content.....

“Local Content” means the amount of value added in India which shall, be the total value of the item being offered minus the value of the imported content in the item (including all customs duties) as a proportion o f the total value, in percent.

“*False declaration will be in breach of Code of Integrity under Rule 175(1)(i)(h) of the General Financial R ules for which a bidder or its successors can be debarred for up to two years as per Rule 151 (iii) of the Ge neral Financial Rules along with such other actions as may be permissible under law.”

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

Appendix-4

[Type the document title]

TO WHOMSOEVER IT MAY CONCERN

This is to certify that the Gross Turnover of M/s. .....having PAN..... add ressed at .....for preceding three financial years are as follows:-

S.No.	Financial Year	Assessment Year	Turnover (₹)
1.	2022-23	2023-24	
2.	2023-24	2024-25	
3.	2024-25	2025-26	

Name of CA Firm: Place:

M. No.: Date:

UDIN:

Signature of the CA, with Official Seal

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

Appendix-5

Bid Security Declaration Format

(To be given on Bidder's Letter Head)

Date:.....

To,

The Director,

ABV-IIITM, Morena Link Road,

Gwalior, Madhya Pradesh – 476015

Bid/Tender Reference No: .....

Name of Bid/Tender / Work:.....

I/We undersigned declare that:

1) I/We understand that, according to your conditions, bids must be supported by a Bid Securing Declarati on.

2) I/We accept that I/We may be disqualified/debarred from bidding against ABV-IIITM, Gwalior tenders for a period of one year from the date of notification if I/We are in a breach of any obligation under the bid con ditions, because I/We

a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our bid during the periodo f bid validity specified in the form of Bid; or

b) having been notified of the acceptance of our Bid by the Institute during the period of bid validity (i) fail or refuse to execute the contract, if required, or (ii) fail or refuse to furnish the Performance Security within the timeline, in accordance with the instructions to Bidders & as per tender terms & conditions.

3) I/We understand this Bid Security Declaration shall cease to be valid on the Thirty First day from followi ng,

a) If I am/we are not the successful Bidder, the receipt of your notification of the name of the successful Bi dder; or

b) the expiration of the validity of my/our Bid or any extension thereof.

Signed: (insert signature of person whose name and capacity are shown)

In the capacity of (insert legal capacity of person signing the Bid Security Declaration)

Name: (insert complete name of person signing the Bid Security Declaration) Duly authorized to sign the b id for an on behalf of (insert complete name of Bidder)

Dated on day of (insert date of signing) Corporate Seal (where appropriate)

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of

this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---